

#### AMENDED AGENDA MEETING OF THE MOUNTAIN HOME CITY COUNCIL APRIL 21, 2022. 6:00 P.M. COUNCIL CHAMBERS OF THE MUNICIPAL BUILDING

Public Hearing Pledge of Allegiance Prayer Roll Call Minutes from the April 7, 2022 Council Meeting Committee Reports Announcements

**NEW BUSINESS** 

REQUEST TO SCRAP OLD MATERIAL NO LONGER USABLE FOR WTP & WWTP. presented by Water & Sewer Director Alma Clark

**REQUEST TO REFUND W/S OPERATIONS ACCOUNT 1000-11023-00 FOR EXPENSES INCURRED ON SHARP ANNEXATION PROJECT IN THE AMOUNT OF \$38,465.15 FROM SEWER EXPANSION ACCOUNT 1000-13069-00.** presented by Water & Sewer Director Alma Clark

REQUEST AUTHORIZATION FOR SEWER DEPARTMENT TO PAY FOR REMAINING SHARP ANNEXATION PROJECT EXPENSES FROM THE SEWER EXPANSION ACCOUNT 1000--13069-00 IN AN AMOUNT NOT TO EXCEED AN ADDITIONAL \$185,000.00 - FOR CONTRACTOR / ENGINEERING THAT WILL EXCEED THE ALLOTTED GRANT AMOUNT BY DRA. presented by Water & Sewer Director Alma Clark

**REQUEST TO APPOINT A DIRECTOR OF FINANCE AND TREASURY** 

Respectfully Submitted, Brian A. Plumlee, City Clerk

#### **REGULAR CITY COUNCIL MEETING – APRIL 7, 2022**

- 1. The Mountain Home City Council met in regular session April 7, 2022 in the Council Chambers of the Municipal Building. Mayor Hillrey Adams called the meeting to order at 6:00 p.m. followed by the Pledge of Allegiance and a prayer.
- 2. <u>ROLL CALL</u> The following council members were present for the roll call: Nick Reed, Jim Bodenhamer, Paige Evans, Susan Stockton, Carry Manuel, Robert Van Haaren and Wayne Almond were present for the meeting. Councilwoman Baker was absent from the meeting.
- 3. <u>OFFICIALS IN ATTENDANCE</u> Mayor Hillrey Adams, City Clerk Brian Plumlee, City Attorney Roger Morgan, Water & Sewer Director Alma Clark, Police Chief Eddie Griffin, Building Inspector Greg Ifland and Fire Chief Kris Quick.
- 4. PRESS Scott Liles (Baxter Bulletin)
- 5. <u>MINUTES</u> Councilman Manual made a motion to approve the council meeting minutes from March 17, 2022. The motion was seconded by Councilwoman Stockton. The City Clerk recorded the following vote: all present yes.

#### 6. <u>NEW BUSINESS</u>

AN ORDINANCE AMENDING ORDINANCE NO. 2022-17, 2022-4, 2021-17, 2021-10, 2020-27, 2019-27, 2017-17, 2016-4, 2014-3, 2012-11, 2011-12, 2009-17, 2009-12, 2008-37, AS AMENDED BY 96-033, 07-31, 06-14, 05-03, 04-04, 03-37, 03-05, 02-27, 02-20, 02-09, 01-04, TO EXPAND AND REDEFINE THE JOB CLASSIFICATION AND COMPENSATION PLAN IN ORDER TO ENHANCE EFFICIENT MANAGEMENT WITHIN THE DEPARTMENTS OF THE CITY OF MOUNTAIN HOME. City Attorney Roger Morgan put the ordinance on first reading and read it by title only.

**SECOND READING** Councilman Van Haaren made a motion to suspend the rules and put the ordinance on second reading, Councilwoman Stockton seconded the motion. The City Clerk recorded the following vote: all present – yes. The motion was declared adopted and the ordinance was read for a second time by title only.

THIRD READING Councilman Van Haaren made a motion to suspend the rules and read the ordinance for the third time by title only. Councilwoman Evans seconded the motion. The City Clerk recorded the following vote: all present – yes. The motion was declared adopted and the ordinance was read for a third time by title only.

ADOPTION... Councilman Van Haaren made the motion to adopt the ordinance it was seconded by Councilman Bodenhamer. The City Clerk recorded the following vote: all present – yes. The ordinance was declared adopted.

**EMERGENCY CLAUSE...** Councilman Van Haaren made a motion to pass the emergency clause, Councilman Almond seconded the motion. City Clerk Brian Plumlee recorded the following vote: all present – yes.

# AN ORDINANCE REPEALING ORDINANCE 2022-9 AND WAIVING COMPETITIVE BIDDING AND AUTHORIZING THE PURCHASE OF (3) TR-60 70HP AIRE-O2 TRITON AERATOR/MIXER City Attorney Roger Morgan put the ordinance on first reading and read it by title only.

**SECOND READING** Councilman Almond made a motion to suspend the rules and put the ordinance on second reading, Councilwoman Stockton seconded the motion. The City Clerk recorded the following vote: all present – yes. The motion was declared adopted and the ordinance was read for a second time by title only.

**THIRD READING** Councilman Almond made a motion to suspend the rules and read the ordinance for the third time by title only. Councilman Reed seconded the motion. The City Clerk recorded the following vote: all present – yes. The motion was declared adopted and the ordinance was read for a third time by title only.

ADOPTION... Councilwoman Stockton made the motion to adopt the ordinance it was seconded by Councilman Van Haaren. The City Clerk recorded the following vote: all present – yes. The ordinance was declared adopted.

**<u>EMERGENCY CLAUSE...</u>** Councilwoman Evans made a motion to pass the emergency clause, Councilman Almond seconded the motion. City Clerk Brian Plumlee recorded the following vote: all present – yes.

**DISCUSSION REGARDING TRASH RECEPTACLES** There was brief discussion regarding trash receptacles, Mayor Adams mentioned a citizen complained about trash receptacles at businesses not being contained within a fenced in area. Building Inspector Greg Ifland told the council that a ten year old ordinances requires new businesses to follow this regulation. Mayor Adams informed the council that he doesn't want to take action on the matter.

**MOTION TO GO INTO EXECUTIVE SESSION** Councilwoman Stockton made a motion to go adjourn into executive session, the motion was seconded by Councilman Van Haaren.

ADJOURN...6:20P.M. with no further business to come before the council. Mayor Adams declared the meeting adjourned at 6:20 p.m.

HILLREY ADAMS, MAYOR

ATTEST:

BRIAN A. PLUMLEE, CITY CLERK

# **Mountain Home Parks and Recreation**

1101 Spring Street Mountain Home, AR 72653 TELEPHONE 870-424-9311 FAX: 870-425-3339 E-MAIL: baustin@cityofmountainhome.com

April 5, 2022

Parks and Recreation City Council Committee Meeting

During the month of March, L.C. Sammons Youth Center had a total usage of 1459 citizens utilizing the Youth Center. Pavilion usage for March was 175 citizens reserving pavilions at the parks and we had 190 citizens attend birthday parties at the Youth Center. During the month of March, the fulltime maintenance department worked 1314 hours and we had 187 hours from Care Center Ministries that worked on daily park maintenance, playgrounds, and equipment maintenance.

Upcoming Events, Youth Baseball is scheduled to start Monday April 18, 2022 and Girls Fastpitch Softball to be announced at a later time.

#### March 2022

#### Parks and YC Usage

2022 N	<b>Narch</b>	USAGE
Tue	1	47
Wed	2	61
Thu	3	57
Fri	4	56
Sat	5	20
Sun	6	8
Mon	7	64
Tue	8	60
Wed	9	76
Thu	10	76
Fri	11	10
Sat	12	65
Sun	13	14
Mon	14	69
Tue	15	60
Wed	16	60
Thu	17	68
Fri	18	54
Sat	19	55
Sun	20	
Mon	21	40
Tue	22	34
Wed	23	33
Thu	24	35
Fri	25	38
Sat	26	50
Sun	27	14
Mon	28	73
Tue	29	65
Wed	30	68
Thur	31	65
tot	al	1459

March	
Average attendance for month	54
Saturday attendance	190
Pavilion usage total for month	45

Membership Count 3/31/22	
Youth Members	88
Adult/Senior Members	44
Total:	132

Parks & Pavilion Reservations:	#Reservations	# people
Cooper Pav 1+2:	5	85
Hickory Large + Small Pav:	4	90
Keller Pav:	0	0
MaCabe Pav:	0	0
Youth Center Gym: BDAY/RENTALS	8	190
Total:	17	365

Special Events/Sports Reservations an	d Rentals
3/26/22: Warno Tournament: NEXT +	Methvin
3/27/22: MHPR Baseball Assessm	ients
3/29/22: MHPR Softball Assessm	ents

CURRENT BUDGET (PROJECTED REVENUE)	YEAR TO DATE REVENUE	39		ANNUAL BUDGET	AMOUNT USED (EXPENSES)	10	VAILABLE XPENSES)
		\$	87.0	x	x	1	x
		\$	10 10	x	x		x
		\$		х	x		x
	8 11,	\$	(4) (4)	x	x		x
x	х		x	\$ 3,850.00		\$	3,850.00
BUDGET (PROJECTED REVENUE)	YEAR TO DATE REVENUE		a a company a construction.	ANNUAL BUDGET	AMOUNT USED (EXPENSES)	10	VAILABLE XPENSES)
\$ 15,250.00	\$ 5,432.00	\$	9,818.00	x	х		x
\$ 1,500.00	\$ 2,050.00	\$	(550.00)	x	x		x
\$ 11,000.00	\$ 8,200.00	\$	2,800.00	X	x	1	x
\$ 1,600.00	\$ 13,418.00	\$	(11,818.00)	Х	х		X
x	X		x	\$ 59,000.00	\$ 159.65	\$	58,840.35
\$300.00	\$0		\$300	x	х		x
AMOUNT USED/ITEM (EXPENSES)							
\$140							
640 CF							
\$19.65							
\$19.65							
\$19.05							
	BUDGET (PROJECTED REVENUE)	CURRENT BUDGET (PROJECTED REVENUE)       YEAR TO DATE REVENUE         X       1         X       X         CURRENT BUDGET (PROJECTED REVENUE)       YEAR TO DATE REVENUE         \$       15,250.00         \$       15,250.00         \$       13,418.00         X       X         \$       1,600.00         \$       13,418.00         X       X         \$       300.00         \$       13,418.00         X       X	BUDGET (PROJECTED REVENUE)         YEAR TO DATE REVENUE         V (F           x         \$           x         x           x         x           CURRENT BUDGET (PROJECTED REVENUE)         YEAR TO DATE \$         \$           x         x           x         x           x         x           S         \$           1,500.00         \$           \$         1,500.00         \$           \$         1,500.00         \$           \$         1,600.00         \$           x         x         x           \$         300.00         \$0           AMOUNT USED/ITEM (EXPENSES)         K         X	CURRENT BUDGET (PROJECTED REVENUE)       YEAR TO DATE REVENUE       VARIANCE (REVENUE)         1       5       -         2       5       -         3       -       5         2       5       -         3       -       5         3       -       5         4       X       X         5       5       -         6       -       5       -         7       X       X       X         CURRENT BUDGET (PROJECTED REVENUE)       YEAR TO DATE REVENUE)       VARIANCE (REVENUE)         \$       15,250.00       \$       5,432.00       \$       9,818.00       \$         \$       1,500.00       \$       3,200.00       \$       2,800.00       \$       2,800.00       \$       2,800.00       \$       3,300.00       \$       3,300.00       \$       3,300.00       \$       3,300.00       \$       3,300.00       \$       3,300.00       \$	CURRENT BUDGET (PROJECTED REVENUE)YEAR TO DATE REVENUEVARIANCE (REVENUE)ANNUAL BUDGET(PROJECTED REVENUE)\$-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-5-×-×××-5-×-×××<	CURRENT BUDGET (PROJECTED REVENUE)         YEAR TO DATE REVENUE)         VARIANCE (REVENUE)         ANNUAL BUDGET         AMOUNT USED (EXPENSES)           -         -         \$         -         x         x           x         x         x         x         x         x           x         x         x         x         x         x           x         x         x         x         x         x           x         x         x         x         x         x           x         x         x         x         x         x         x           BUDGET (PROJECTED REVENUE)         \$ 5,432.00         \$ 9,818.00         x         x         x         x           \$ 1,500.00         \$ 13,418.00         \$ (11,818.00)         x         x         x </td <td>CURRENT BUDGET (PROJECTED REVENUE)         YEAR TO DATE REVENUE)         VARIANCE (REVENUE)         ANNUAL BUDGET         AMOUNT USED (EXPENSES)         AN (E)           -         \$         -         X         X         1           -         \$         -         X         X         1           -         \$         -         X         X         1           X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         X         X           X         X         X         X         X         X         X         X         X         X         X           X</td>	CURRENT BUDGET (PROJECTED REVENUE)         YEAR TO DATE REVENUE)         VARIANCE (REVENUE)         ANNUAL BUDGET         AMOUNT USED (EXPENSES)         AN (E)           -         \$         -         X         X         1           -         \$         -         X         X         1           -         \$         -         X         X         1           X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         1           X         X         X         X         X         X         X         X           X         X         X         X         X         X         X         X         X         X         X           X

Awards:

#### **APRIL 2022** Committee Meeting

04/14/2022 @ 4:30pm. Attending: Alma Clark, Mayor Adams, Jennifer Baker, Bob Van Haaren, Nick Reed, Kirby Rowland. We met in council chamber. The meeting adjourned at 5:26 pm.

- Cash analysis / Revenue / Expense Report ending March 2022 were passed out.
- Project reports for month ending March 2022 passed out.
- Our water loss was 30.4% Ending March 2022. The previous month was at 29.1%. We contacted ARWA for assistance in finding our problem areas causing water loss to continually increase since September 2021. ARWA provides this service free of charge to our city as we are members of this organization. We have walked our large main distribution lines checking for leaks with nothing rising to the surface. Although, the guys working on Hickory Street water upgrade did find a somewhat significant leak while working on the water line job that was on a 2- inch service for daisy shine car washes service saddle and corp that is connected to the main water line; this leak never surfaced to be visual for us they found this while moving this service to another water line so we can delete the old when completed. We also had a major main break over by Ozark eye center that they guys said could have been leaking for some time; the main finally busted so that's how we found; we repaired this 04/12/22. These leaks could have constituted a good percentage of loss for the department where the loss has been climbing for last 5 months we will know how much on next month's loss report since they have been repaired now but I'm sure that there are more out there that will be found as we dig deeper into the detection with ARWA. We continue to fix and find leaks daily as these leaks present themselves.
- Alma passed out listing of item that we are requesting approval to send to scrap. These are items that have been replaced at Water & Wastewater Plant and now is ready to be disposed of. (This will be on the April 21, 2022 Council Agenda for a vote).
- Bids were opened on 04/05/22 for contractor services for the Sharp Annexation PH- 3 project. We had 1 bidder and it was Arlynd Mallet Excavation and was for \$ 464,451.00. The total project will cost approximately \$ 520,000.00 including materials & engineering services needed. The Grant we will receive was for \$300,000 from Delta Regional Authority for to project. I would like to get approval to reimburse our operation funds account 1000-11023-00 for the amount spent to date on Material Parts for this project in the amount of \$38,465.15 from the Sewer Expansion account 1000-13069-00. (Will need to take to vote of council to allow money to be moved from one account to another to refund what has already been spent on this project). Will be on April 21, 2022 council agenda for vote.
- I would also request an approval to pay an additional amount not to exceed \$ 185,000 from the sewer expansion account 1000-13069-00 to cover cost incurred from Arlynd Mallet Excavation & Consolidated Land services for our portion of the financial contribution on this project. (Will need a vote of council to allow the remaining expenses to be paid for out of Sewer expansion account). Will be on April 21, 2022 council agenda for vote.
- Kirby passed out copies Project updates to the w/s Committee that are in progress: WWTP upgrades & additional upgrades at WWTP, New Lake intake site, Assessment of Backwash sludge handling at WTP, Master Plan Updates. Kirby also passed out copies of impact of new 2022 bond issue and what effect that rate increases in the future rate studies.
- Mayor Adams gave an update on the SW Sewer Line Extension Project Meeting that was held 04/14/22 @ 2pm with Garver Engineers. Mayor stated that Garver had provided 4 scenarios for the sewer department with option 1 being the best at this time and would range around \$3.7 M but that we thought that with the department doing some of the work that was included in pricing that we could cut this figure by a bit. After review of what can be done by the department we will meet again to tighten the figures and will update when we have more information.

#### **PROJECT UPDATES:**

- <u>Hickory street / 3<sup>rd</sup> St / Lilian St SL replacement Phase 1</u>. Started 12/09/2021. We will be laying approximately <u>3336'</u> of 8" SDR 26 PVC sewer line and setting <u>20</u> manholes. This included a bore from 6<sup>th</sup> & hickory across 6<sup>th</sup> street by old gas company. We have replaced approximately <u>532</u>' of pipe and <u>2</u> manholes since last report. Remaining to do is <u>1686'</u> and <u>10</u> manholes on this phase of the project.
- <u>Hickory Street / Lillian WL Upgrade:</u> Started 01/11/22. We have a total of <u>6</u> services we will change over on Hickory from 8" line to the 16" and to date we have changed over <u>5</u> and have <u>1</u> remaining. We will change over <u>2</u> water mains from the 8" to the 16" main and we have completed both to date. We have 1 old FH to get change out and an addition of 1 new hydrant at Hickory Park to complete at some point during this job. We also will be upgrading the Water main on Lillian Dr.
- The new water line install for Keller Park has been completed by the water construction crew.
- Johnny has started looking at what we are going to have to do on Hwy 5 S as far as relocating water/sewer lines in the state right of way for the new widening of Hwy 5 S starting around the bridge area by oak tree trailer park all the way to the bypass.

\*\*\*\*\*\*OUR NEXT MEETING IS (CHANGE DAYS & DATE) \*\*\*\*\*\* NEXT MEETING WILL BE HELD ON <u>JUNE 23, 2022 @ 4:30 pm.</u> NO MEETING WILL BE HELD IN MAY 2022

Meeting will be held in council chambers.

Meeting was held on April 19, 2022in the Council Chambers and was called to order at 2:00.

Those present were: Fire Chief Kris Quick

Police Chief Eddie Griffin

Committee Members: Wayne Almond

Jim Bodenhamer

Carry Manuel

Bob Van Haaren

Attached is the agenda presented by Chief Quick and Chief Griffin. There were no other items added or discussed to the agenda and the meeting was adjourned at 2:30p.m.



Activity Summary - By Activity Type - SRO

From 03/01/2022 Through 03/31/2022

Page 2 of

3

Activity / Event	Count	% To Total
Meetings - Other	7	1.03
Meetings - School	12	1.76
Meetings - SRO Divisional	6	0.88
MHPS Building or Property Perimeter Check	41	6.03
Miscellaneous	15	2.21
Motorist Assist	1	0.15
Offense Report - (notate report # in note section)	1	0.15
Officer Assist	30	4.41
Public Service	5	0.74
Referrals/Other agency assist	1	0.15
Soccer Game(s) - notate quantity	21	3.09
Softball Game(s) - notate quantity	12	1.76
Special Events - Non Athletic	5	0.74
Time Off - Bereavement - (+ 1 for each day off - notate hrs in note section)	0	0.00
Time Off - Comp (+1 for each day off - notate hrs in the note section)	28	4.12
Time Off - Personal Day - (+1 for each day off - notate hrs in note section)	3	0.44
Time Off - Sick - (+1 for each day off - notate hrs in note section)	7	1.03
Time Off - Vacation - (+1 for each day off - notate hrs in note section)	0	0.00
Track Meet(s) - notate quantity	0	0.00
Traffic Arrest - (notate citation # in note section)	0	0.00
Training - (notate training/class name in note section)	20	2.94
Trespass Warning	0	0.00
Vehicle Unlock	0	0.00
Vehicle/Equipment Inspection/Maintenance	23	3.38
Volleyball Game(s) - notate quantity	0	0.00
Warrant - MHPD	0	0.00
Warrant - Other Agency	0	0.00
Wrestling Match(es) - notate quantity	0	0.00

Print Date: Apr 01 2022 - 13:43:52 Powered by iSOMS(c) Driven by Values Mountain Home Police Department, From 03/01/2022, Through 03/31/2022 Juvenile-Activity\_Summary\_ByActivity TLTAYLOR



Activity Summary - By Activity Type - SRO From 03/01/2022 Through 03/31/2022

Page 1 of

3

Activity / Event	Count	% To Total
Accidents - Parking Lot	2	0.29
Accidents - Pedestrian/Vehicle	0	0.00
Accidents - Property Damage	0	0.00
Accidents - Street	0	0.00
Administrative Duties	20	2.94
Alcohol Arrest - (notate citation # in note section)	0	0.00
Assist F. D.	1	0.15
Assist Other Agency	11	1.62
Assist School Admin.	116	17.06
Athletic Event (Other) - notate quantity	0	0.00
Baseball Game(s) - notate quantity	13	1.91
Basketball Game(s) - notate quantity	0	0.00
Classes Given	39	5.74
Classroom Activity	0	0.00
Classroom Lectures - MHPS	0	0.00
Classroom Lectures - Public	2	0.29
Consultation - Female Students	66	9.71
Consultation - Male Students	76	11.18
Consultation - Parents	21	3.09
Court Appearances	2	0.29
Criminal Arrest - (notate citation # in note section)	1	0.15
DRE - call out/investigation	4	0.59
Drug Arrest - (notate citation # in note section)	0	0.00
Faculty Assist - (MHPS)	50	7.35
Football Game(s) - notate quantity	0	0.00
ncident Report - (notate report # in note section)	4	0.59
K-9 Training (Monthly)	8	1.18
Medical Assist	2	0.29
Meetings - Department/City Wide (only)         Print Date: Apr 01 2022 - 13:43:52         Powered by iSOMS(c) Driven by Values    Mountain Home Police D Juvenile-Activity_Summers	4 Department, From 03/01/2022, Thro mary_ByActivity	0.59 ough 03/31/2022 TLTAYLOR

Page 1 of

Mountain Home Police Department Detective Classification Assigned/Cleared Dates From 03/01/2022 Through 03/31/2022

-

ALL)		
-		E
C	);;	
	1	5
	aut 1	

Classification	Count	% To Total	Assigned	Cleared
ASSAULT-F	2	3.23	2	-
ASSAULT-M	2	3.23	2	2
BATTERY MISD	З	4.84	ъ	-
BREAKING OR ENTERING FROM VEHI	1	1.61	~	1
CRIMINAL MISCHIEF-M	1	1.61	-	3
DEATH INVESTIGATION-MURDER	1	1.61	1	0
DELIVERY OF CONTROLLED SUBSTAN	5	8.06	5	-
DOMESTIC BATTERY 3RD	4	1.61	1	0
FORGERY	1	1.61	1	1
FRAUD	4	1.61	2	1
GENERAL INVESTIGATION	-	1.61	1	2
HARASSING COMMUNICATIONS	2	3.23	2	2
HARASSMENT	1	1.61	0	0
INCIDENT	1	1.61	-	0
POSS OF CONTROLLED SUBSTANCE-F	8	12.90	8	0
RESIDENTIAL BURGLARY-F	1	1.61	2	Ţ
SEXUAL ASSAULT-F	-	1.61	2	2
SEXUAL MISCONDUCT	1	1.61	+	1
TERRORISTIC THREATENING	2	3.23	2	1
THEFT-F	7	11.29	9	œ
THEFT-M	17	27.42	16	œ
UNAUTHORIZED USE OF VEHICLE	٦	1.61	1	7
VIOLATION OF PROTECTION ORDER	-	1.61	1	0
Reported Cases	62		62	46

Print Date: Apr 01 2022 - 13:40:16 Powered by iSOMS(c) Driven by Values

Mountain Home Police Department, CRIMINAL INVESTIGATIONS DIVISION, From 03/01/2022, Through 03/31/2022 CaseManagementReports\_CID\_Stats\_ByClassAssignedCleared TLAYLOR



Activity Summary - By Activity Type - Patrol Dates From 03/01/2022 Through 03/31/2022

Page 1 of 1

Description	Count
FUNERAL ESCORT	11
WELFARE CHECK	52
OTHER DEPARTMENT ARREST	1
MOTORIST ASSIST	13
OFFICER ASSIST	1629
BREATH TEST ADMINISTERED	5
RESIDENT ASSIST	3
CRIMINAL ARREST	50
TRAFFIC ARREST	63
CAR SEAT CHECK / INSTALLATION	5
TRAINING	15
WARRANT OF ARREST	58
COURT APPEARANCE	11
OTHER DISTURBANCE	4
ALARM CALL	75
BUILDING CHECK	237
NCIDENT / OFFENSE REPORT	102
FINGERPRINT	3
DOMESTIC VIOLENCE	21
MEDICAL ASSIST	16
SECURED WEAPONS	193
/EHICLE / EQUIPMENT INSPECTION / MAINTENANCE	199
OTHER PUBLIC SERVICE	113
TRAFFIC STOP	470
ACCIDENT INVESTIGATION	61
VARNING GIVEN	409
EHICLE UNLOCK	75
DMINISTRATIVE DUTIES	120
IRE DEPARTMENT ASSIST	12
OMPLAINT	396
	Count: 4422

Print Date: Apr 01 2022 - 13:42:08 Powered by iSOMS(c) Driven by Values Mountain Home Police Department, From 03/01/2022, Through 03/31/2022 Employee-DailyLog\_Stats\_Activity TLTAYLOR

le	10	111		
t t	a	C	):	 - THE REAL PROPERTY IN
1				
the second	1		-	

Incidents Reported Statistics By Charge From UCR (by Month) Dates From 03/01/2022 00:00 Through 03/31/2022 23:59

Page 3 of 3

Description	Jan	Feb	Mar	April	Mav	June	vlut	Aug	Sen	100	NoN	200	Totol	
WARRANT-COC FAIL TO PAY FINE	0	0	4	0	C	c	c		200 0				1 0141	% I OTAI
WARRANT-CONTEMPT OF COURT	0	c	e.	C	c	, c							4	2.42
WARRANT-FAILURE TO APPEAR				,	,	>	_	5	>	>	5	0	e S	1.82
	0	0	21	0	0	0	0	0	0	0	0	0	21	12 73
WARRANT-OTHER	0	0	4	0	0	C	c	c	c	c	c			0.1.21
WARRANT-OTHER AGENCY-MISDFMFANOR	c							,	>	>	~	5	4	2.42
	0	Э	4	0	0	0	0	0	0	0	0	0	4	0 42
WARRANT-OTHER AGENCY FELONY	0	0	e	0	0	0	C	С	c	0	-			7.17
WARRANT-PROBATION VIOLATION	c	4						,	>	5	5	2	0	1.82
		0	_	0	0	0	0	0	0	0	0	0	-	0.61
	- - H		-											
	l otals: 0	0	165	0	0	0	0	0	0	0	0	0	165	

Print Date: Apr 01 2022 - 13:41:22 Powered by iSOMS(c) Driven by Values

Mountain Home Police Department, From 03/01/2022 00:00, Through 03/31/2022 23:59 jementReports\_SummaryByCharge\_Month TLTAYLOR CaseManagementReports\_SummaryByCharge\_Month

	5		10/SU 1	00 7707		ongh 03	//31/202	Dates From 03/01/2022 00:00 Through 03/31/2022 23:59				Ра	Page 2	of 3
Description	Jan	Feb	Mar	April	May	June	Julv	Aug	Sen	Oct	Nov	Dar	Total	1040T /0
HARASSMENT	0	0	2	0	0	0	C	0	c					01 0/
IDENTITY THEFT	0	0	-	0	c	0	C						V .	1.2.1
INCIDENT	0	0	2	С	c	, c	, c	, c					-   1	1.6.1
INFORMATION ONLY	c	0			, c			<b>.</b>	5		5	0		4.24
LEFT SCENE OF ACCID. PROPERTY DAM.ONLY			,	5 0			5	5	5	0	0	0	e	1.82
LOST OR STOLEN	-	5 0	_ .		5	0	0	0	0	0	0	0	-	0.61
MIRDER - 1ST DECREE	0	0	-	0	0	0	0	0	0	0	0	0	1	0.61
	0	0	-	0	0	0	0	0	0	0	0	0	-	0.61
OBSTRUCTING GOVERNMENTAL OPERATIONS / FA	0	0	۲	0	0	0	0	0	0	0	0	0	1	0.61
OVERDOSE	0	0	۲	0	0	0	0	0	0	0	0	0	-	0.61
POSS. DRUG PARAPHERNALIA	0	0	٢	0	0	0	0	0	0	0	0	c	-	0.61
POSSESS CONTROLLED SUBSTANCE	0	0	۲	0	0	0	0	0	0	0	c	0 0		0.64
POSSESS W PURPOSE DEL CONTROLLED SUBSTAN	0	0	-	0	0	0	0	0	C	C	0	, c		0.04
POSSESS W PURPOSE DEL METH COCAINE => 10	0	0	+	0	0	c	c	c				> c		10.0
POSSESSION CONTROLLED SUBSTANCE	0	0	-	0	0	0	0 0	, c						10.0
PROPERTY DAMAGE	0	0	<b>.</b>	С	c							5 0	,	1.0.0
PUBLIC INTOXICATION	С	c	0	C		, c						5	_	1.01
SEXUAL ASSUALT 3RD DEGREE			1 -	,		5 0	5		5	5	0	0	2	1.21
TERRORISTIC THREATENING	-	5	_	5	0	0	0	0	0	0	0	0	1	0.61
THEFT BY DECEPTION		0	m	0	0	0	0	0	0	0	0	0	3	1.82
	0	0	ო	0	0	0	0	0	0	0	0	0	8	1.82
	0	0	-	0	0	0	0	0	0	0	0	, 0	-	0.61
	0	0	12	0	0	0	0	0	0	0	0	0	12	7.27
ITTEL OF PROPERTY-FROM A BUILDING	0	0	-	0	0	0	0	0	0	0	0	0	-	0.61
IHEF I OF PROPERTY-FROM MOTOR VEH-NO PART	0	0	4	0	0	0	0	0	0	0	0	0	4	2.42
IHEFI OF PROPERTY-LESS THAN 500.00	0	0	13	0	0	0	0	0	0	0	0	0	13	7.88
THEFT OF PROPERTY-THREATENS	0	0	-	0	0	0	0	0	0	0	0	0	+	0.61
UNAUTHORIZED USE OF A VEHICLE	0	0	1	0	0	0	0	0	0	0	0	0	-	0.61
VICIOUS DOG ORD	0	0	1	0	0	0	0	0	0	0	0	0	-	0.61
VIOLATION OF A PROTECTION ORDER	0	0	-	0	0	0	0	0	0	0	0	0	-	0.61
Print Date: Apr 01 2022 - 13:41:22				Moun	tain Hor	ne Polic	e Depar	tment, F	rom 03	/01/202	2 00:00,	Throug	h 03/31/2	Mountain Home Police Department, From 03/01/2022 00:00, Through 03/31/2022 23:59
Powered by iSOMS(c) Driven by Values		C									and the second sec	) Conservation of		

	Incider Dat	its Repo tes Fron	n 03/01/	atistics 2022 00	By Cha :00 Thr	Incidents Reported Statistics By Charge From UCR (by Month) Dates From 03/01/2022 00:00 Through 03/31/2022 23:59	m UCR 3/31/20:	(by Mo 22 23:59	nth)			Page	ge 1	of	e
Description	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec	Total	/0	% Total
AGGRAVATED ASSAULT	0	0	2	0	0	0	0	0	0	c	C	c	, c	1 24	
ANIMAL BITE	0	0	4	0	0	0	0	0	0	0	0	, c	1 -	0.61	
ASSAULT - 2ND DEGREE / RECKLESS CONDUCT	0	0	-	0	0	0	0	0	0	0	0	c		0.0	
ASSAULT - 3RD DEGREE / CREATES APPREHENS	0	0	1	0	0	0	0	0	0	0	c			0.0	
BATTERY - 3RD DEGREE / D241	0	0	2	0	0	0	0	0	0	0	0	c	. ~	1 2.4	
BREAKING OR ENTERING-FROM A VEHICLE	0	0	2	0	0	0	0	0	0	0	0	0	1 0	1.21	
BURGLARY, RESIDENTIAL	0	0	2	0	0	0	0	0	0	0	0	0	2	1.21	
CONTROLLED SUBSTANCE, POSSESSION	0	0	6	0	0	0	0	0	0	0	0	0	0	5.45	
CONTROLLED SUBSTANCES — FRAUDULENT PRACTICES	0	0	1	0	0	0	0	0	0	0	0	0	•	0.61	
CRIMINAL MISCHIEF	0	0	3	0	0	0	0	0	0	0	0	0	e.	1 82	
CRIMINAL MISCHIEF UNDER \$500.00	0	0	1	0	0	0	0	0	0	0	0	0	-	0.61	
CRIMINAL TRESPASS / PREMISES	0	0	2	0	0	0	0	0	0	0	0	0	. ~	1 21	
реатн	0	0	1	0	0	0	0	0	0	0	0	c		0.61	
DELIVERY OF CONTROLLED SUBSTANCE	0	0	5	0	0	0	0	0	0	0	0	0	2	3.03	
DISORDERLY CONDUCT	0	0	-	0	0	0	0	0	0	0	c	c		0.61	
DISORDERLY CONDUCT-FIGHTING, THREATENING	0	0	-	0	0	0	0	0	0	0	0			0.0	
DOMESTIC BATTERY-3RD-PURPOSE OF INJURY	0	0	e	0	0	0	0	0	0	0	c	0		1 82	
DRIVING WHILE LIC SUSP OR REV	0	0	-	0	0	0	0	0	c	c	0 0	, c	, <del>.</del>	10.1	
DRIVING WHILE LICENSE SUSP/REV FOR DWI	0	0	-	0	0	0	0	0	0	0	, c		- +	10.0	
DRUG PARAPHERNALIA, POSSESSION	0	0	4	0	0	0	0	0	0	c	o			0.0	
DWI 1ST DRUGS	0	0	4	0	0	0	0	0	0	c	0		+ +	15.72	
DWI 1ST OFF	0	0	5	0	0	0	0	0	0	0	0	0	- LC	3.03	
DWI 2ND OFF	0	0	۲	0	0	0	0	0	0	0	c	C		0.61	
ENDANGERING THE WELFARE OF A MINOR - 2ND	0	0	1	0	0	0	0	0	0	0	0	0 0		0.0	
FORGERY	0	0	-	0	0	0	0	0	0	c	c	c		190	
FOUND PROPERTY	0	0	<del></del>	0	0	0	0	0	c	0 0	, c			0.0	
FRAUDULENT USE OF A CREDIT CARD / OTHER	0	0	~	0	0	0	0	С	0	0		o c	- +	10.0	1
HARASSING COMMUNICATIONS	0	0	2	c	c	С	C	0						10.0	
			ĥ		, ,	>	<b>,</b>	5	5	5	5	5	N	1.21	
Print Date: Apr 01 2022 - 13:41:22				Moun	tain Hor	ne Polic	e Depa	rtment,	<sup>=</sup> rom 03	/01/202	2 00:00,	Through	Mountain Home Police Department, From 03/01/2022 00:00, Through 03/31/2022 23:59	2022 23	:59
Fowered by ISOMIS(c) Driven by Values		S	IseMana	Igement	Reports	CaseManagementReports_SummaryByCharge_Month	aryByC	harge_N	Aonth				F	TLTAYLOR	OR

ITAIN HOME POLICE DEPARTMENT	Count		Percer
Funeral Escort	6		0.48
Gas Odor/Break	1		0.08
Gun Call	1		0.08
Gunshot/Sounds of	2		0.16
Hang Up Call	4		0.32
Harassment	8		0.65
Identity Theft	1		0.089
Littering	1		0.089
Lockout	82		6.62
Loitering	11		0.899
Lost Property	1		0.089
Medical Dispatch	3		0.24%
Misdial	1		0.08%
Missing Person	3		0.249
Motorist Assist	1		0.08%
Noise Complaint	9		0.73%
Non-Emergency	21		1.69%
Open Line	1		0.089
Overdose	2		0.16%
Parking Violation	1		0.089
Power Lines Down	2		0.169
Property Damage	3		0.249
Property Exchange	5		0.40%
Psychiatric/Behavioral	3		0.249
Reckless Driver	23		1.86%
Rescue Medical	7		0.56%
Service Call	4		0.32%
Shoplifting	7		0.56%
Stabbing	1		0.08%
Stolen Vehicle	1		0.08%
Suicidal	4		0.32%
Suicide Attempt	1		0.08%
Suspicious Activity	30		2.42%
Suspicious Person	37		2.99%
Suspicious Vehicle	11		0.89%
Theft	26		2.10%
Threats	7		0.56%
Traffic Hazard	13		1.05%
Traffic Stop	513		41.40%
Trespassing	12		0.97%
Unruly Juvenile	3		0.24%
Vandalism	2		0.16%
Violation of Order of Protection	2		0.16%
Wanted Person	1		0.18%
Welfare Check	60		4.84%
ecords For MOUNTAIN HOME POLICE DEPARTMENT	and the second	Dept Calls/Total Calls	100.00%

CAD Report 5

Page 2 Of 2

4/1/2022 02:30

#### **Baxter County 911** 815 HWY 62 W Mountain Home , AR 72653

Saving Lives Behind The Scenes

#### CFS By Department - Select Department By Date For MOUNTAIN HOME POLICE DEPARTMENT 3/1/2022 - 3/31/2022

	Count	Percer
Accident (Hit & Run)	3	0.249
Accident (No Injuries)	30	2.42
Accident (Parking Lot)	15	1.21
Accident (Property Damage)	1	0.089
Accident (Unknown Injuries)	1	0.08
Accident (With Injuries)	4	0.32
Alarm-Bank	2	0.16
Alarm-Business	31	2.50
Alarm-Business (Burglary)	37	2.99
Alarm-Residential	4	0.329
Alarm-Residential (Burglary)	4	0.329
Alarm-Smoke or Fire	1	0.089
Alcohol Related	3	0.249
Animal Call	26	2.109
Assault	8	0.65%
Assist Ambulance	1	0.08%
Assist Other Agency	4	0.329
Attempt To Locate	12	0.979
Break In	10	0.819
Burglary	3	0.24%
Business Check	1	0.08%
Civil Matter	3	0.24%
Death	1	0.08%
Disorderly Conduct	4	0.32%
Dispute	15	1.219
Disturbance	27	2.18%
Domestic	5	0.40%
Domestic Physical	3	0.24%
Domestic Verbal	9	0.73%
Drug Related	7	0.56%
Duplicate Call	4	0.32%
Escort	4	0.32%
Explosion	1	0.08%
Facility Check	1	0.08%
Fight In Progress	1	0.08%
Fire Grass/Woods	1	0.08%
Fire Structure	1	0.08%
Fire Unclassified	1	0.08%
Fire Vehicle	3	0.24%
Fireworks	1	0.08%
Fraud	8	0.65%
pport 5 Page	1 Of 2	

- A duty to serve, an honor to protect -424 West 7<sup>th</sup> Street • Mountain Home, Arkansas 72653 Office 870.425.6336 • Fax (870) 425.6092 <u>www.mtnhomepolice.com</u> Edward Griffin, Chief of Police



# **Public Safety Committee Meeting**

#### April 19, 2022

- Daniel King, Hunter Dearmore, and Ashley Brison graduated from the police academy on 04/15/2022. They started a twelve-week Field Training Officer program on 04/18/2022
- 2. Holy Steele has completed her Field Training Officer period and has been released to work on her own.
- 3. Jay Volkman retired on 03/31/2022
- 4. Three new police cars have arrived and are being equipped.
- 5. The School Resource Division taught a Civilian Response to Active Shooter Events class at Arkansas State University for interested individuals from the community.
- 6. Mountain Home Police Department hosted a major case class for area law enforcement officers.
- 7. A Cellebrite machine was purchased with Public Safety Tax funds. This will allow the department to conduct forensic examinations on telephones pertaining to criminal investigations
- 8. Statistics
  - Nature Code Report Dispatch
  - Uniform Code Report (UCR)
  - Patrol
  - Criminal Investigation Division (CID)
  - School Resource Officer (SRO)
  - Code Enforcement (Comcate report)

MOUNTAIN HOME POLICE DEPARTMENT CODE ENFORCEMENT REPORT 2022

CALLS FOR SERVICE	JAN	FEB	MAR	APR	MAY	NNr	JUL	AUG	SEP	OCT	NON	DEC	TOTAL
							and the second						
Animal	7	3	4										14
Inoperable Vehicles	0	3	ю										9
Maintenance of Real Property	12	4	13										29
Off-Site Signs	5	L	2						1				80
Temporary Signs or Banners	2	2	4	1									00
Follow Up Compliance Checks	28	2	18										53
Officer Assists on Calls for Service	2	4	4										10
Traffic Stops	0	0	0										0
Written Warnings	0	0	-										-
Citations Issued	0	-	3				1						S
Verbal Warnings	20	11	20										51
Warrants Served	0	0	0										0
Public Service	9	2	2										15
Yard/Garage Sale	0	0	0										0
Motorist Assist	1	2	0										3
Burning	0	0	0										0
Arrest	0	0	0										0
Misc	4	80	0										0
TOTAL ACTIVITIES	105	48	78										231
Days Worked	18	20	23										61
Miles Driven	948	950	1,266										1,898

Status	Assigned To	Census Tract	Violation	Initiation	Open Date Range	Follow up D

Date Range Close Date Range

All	Litty, Kevin	All	All	From 03/01/2022 To 03/31/2022 From To	From To
-----	--------------	-----	-----	---------------------------------------	---------

#### **CE Totals**

-

	Total	Closed Cases	Open Cases
Totals	35	28	7

#### **CE Cases by Employee**

Employee	Total	Closed Cases	Open Cases
Litty, Kevin	35	28	7
Totals	35	28	7

#### **CE Cases by Violation**

Violation	Total Violations	Closed Violations	Open Violations
Accessory Structures	0	0	) 0
City Department Assists	0	0	) 0
Dogs and Cats: No More than Three (3) over Six (6) Months Old	C	I 0	) 0
Dogs and Cats: Running at Large	2	. 2	. 0
Drainage: Leaves, Grass, Debris, or other Article Deposited on Streets or Drainage System	C	0	) 0
Equipment	0	0	) 0
FOOD TRUCKS	0	0	) 0
Garage Sales	0	0	) 0
Gutters or Ditches Free of Dirt, Filth, or Obstruction	C	0	) 0
Misc	8	8	0
Non-Operating Motor Vehicles-Private Property	5		. 4
Occupational License	C	0	) 0
Outside Burning of Yard Waste	C	0	) 0
Pit Bull Terrier	2	. 2	2 0
Premises and Exterior Property	12	: 6	i 6
Public Service	1	. 1	0
Sign: Off-Site	8	8	3 0
Vacant Structure	0	0	) 0
verbal warnings/citations-not from generated complaint	C		) 0
Vicious Animal	C	0	) 0
Weeds or Grass	C	) (	) 0
Totals	38	28	10



Activity / Event

Mountain Home Police Department

Activity Summary - By Activity Type - SRO From 03/01/2022 Through 03/31/2022

Page 3 of 3

Count

% To Total

Total Activity / Events: 680

Print Date: Apr 01 2022 - 13:43:52 Powered by iSOMS(c) Driven by Values Mountain Home Police Department, From 03/01/2022, Through 03/31/2022 Juvenile-Activity\_Summary\_ByActivity TLTAYLOR

| RUURA   | LOFTON, SHAWN 0.83  |  | DN, SHAWN 0.83  |   |                                 |  |  |   |   |  |  |   
  |  
   |  |   |  |   |   
   |   |  |   |  
  |   |   |  
  |  |  |
|---|---|--|---|---|---------------------------------|--|--|---|---|--|--
--
--|--|--
---|--|---|---
---	--	---
---	--	--
e by LOFTON, SHAWN		DFTON, SHAWN
  | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>inded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>AWNN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>of to 153 S Cardinal DR<br>add to 153 S Cardinal DR<br>ON, SHAWN                               
   | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>nded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>AWNN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>and installed were the 10 year type,<br>and installed were the 10 year type,<br>and installed were the 10 year type,<br>TON, SHAWN  | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>inded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>AWNN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>aed to 153 S Cardinal DR<br>aed to 153 S Cardinal DR<br>ON, SHAWN<br>TON, SHAWN<br>insurance, 870-492-2450  | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>inded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>AWNN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>and installed were the 10 year type,<br>and installed were the 10 year type,<br>and installed were the 10 year type,<br>is insurance, 870-492-2450<br>ON, SHAWN  | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>inded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(A 105 S Cardinal DR 23<br>(A 107 S Cardinal DR<br>ad to 153 S Cardinal DR<br>ON, SHAWN<br>TON, SHAWN<br>SHAWN   | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy.
870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN)<br>(AMN | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN | r LOFTON, SHAWN<br>DFTON, SHAWN<br>Jy LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>and installed were the 10 year type,<br>and installed were the 10                            | r LOFTON, SHAWN<br>DFTON, SHAWN<br>Jy LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>isponded to 105 S Cardinal DR 23<br>isponded to 105 S Cardinal DR 23<br>and installed were the 10 year type,<br>and installed were the 10 | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN       | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy.
870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN | r LOFTON, SHAWN<br>DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN | r LOFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>wided to 1115 Spring Branch TER<br>y Pkwy.
870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(A | r LOFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>wided to 1115 Spring Branch TER<br>y Pkwy. 870-424-0101<br>(AWN<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(AWN)<br>(A |
| ce by LOFTON, SHAWN<br>OFTON, SHAWN   | OFTON, SHAWN  |  | by LOFTON, SHAWN  |   | OFTON, SHAWN                    | OFTON, SHAWN<br>by LOFTON, SHAWN   | OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF  | .OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101   | OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN  | OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2  | OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>had installed were the 10 year typ   | OFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR  
  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fON, SHAWN   
   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>Esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fron, SHAWN<br>FTON, SHAWN   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>Banch 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fron, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>anded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fron, SHAWN<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>FON, SHAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>esponded to 105 S Cardinal DR 2<br>had installed were the 10 year typ<br>had installed were the 10 year typ<br>for SHAWN<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>SHAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>had installed were the 10 year typ<br>ded to 153 S Cardinal DR<br>NO, SHAWN<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>FON, SHAWN<br>S Insurance, 870-492-2450<br>FON, SHAWN<br>SHAWN  
   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>had installed were the 10 year typ<br>ded to 153 S Cardinal DR<br>fON, SHAWN<br>FTON, SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>had installed were the 10 year typ<br>ded to 153 S Cardinal DR<br>fON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S INSURANCE<br>ON, SHAWN<br>N, SHAWN<br>N, SHAWN   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>for STAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S INSURATION<br>S INSURATION<br>S INSURATION<br>S STAWN<br>S STAWN<br>S STAWN<br>S STAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fON, SHAWN<br>FTON, SHAWN<br>S STAWN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S INSURATION<br>S STAWN<br>N, SHAWN<br>N, SHAWN<br>N,
SHAWN<br>N, SHAWN<br>N, SHAWN   | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR<br>fON, SHAWN<br>FTON, SHAWN<br>S STAMN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S Insurance, 870-492-2450<br>TON, SHAWN<br>S INSURATION<br>S STAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>S S S S S S S S S S S S S S S S S S S  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR 2<br>fON, SHAWN<br>FTON, SHAWN<br>a Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S I STAWN<br>N, SHAWN<br>N, SHAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR 2<br>fON, SHAWN<br>FTON, SHAWN<br>S STAWN<br>S STAWN<br>S Insurance, 870-492-2450<br>FTON, SHAWN<br>S Insurance, 870-492-2450<br>FTON, SHAWN<br>N, SHAWN   
  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR 2<br>fON, SHAWN<br>FTON, SHAWN<br>S STAWN<br>S STAWN<br>S STAWN<br>S STAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>SHAWN<br>S SHAWN<br>SHAWN<br>S SHAWN<br>S SHAWN<br>S SHAWN<br>S SHAWN<br>S SHAWN<br>S SHAWN  | DFTON, SHAWN<br>by LOFTON, SHAWN<br>onded to 1115 Spring Branch TEF<br>sy Pkwy. 870-424-0101<br>HAWN<br>esponded to 105 S Cardinal DR 2<br>ded to 153 S Cardinal DR 2<br>fON, SHAWN<br>FTON, SHAWN<br>STON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S Insurance, 870-492-2450<br>fON, SHAWN<br>S I STAWN<br>S I STAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>N, SHAWN<br>S SHAWN   |
| An inspection was completed for Mountain Home Water Department Office by LOFTON, SHAWN<br>An inspection was completed for Min. Home City Fuel Center by LOFTON, SHAWN   | by LOFTON, SHAWN  | I OFTON O LANAL                                    | PHI DY LUF I UN, SHAVN  | hul OFTON SHAWN   |                                 | An inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN   | tion by LOFTON, SHAWN<br>esponded to 1115 Spring Brar  | An inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN 22-768 - Unintentional transmission of alarm, other: Apparatus 202 responded to 1115 Spring Bran Replaced 5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870-424-0101 | tion by LOFTON, SHAWN<br>esponded to 1115 Spring Brar<br>bassy Pkwy. 870-424-0101<br>v, SHAWN   | tion by LOFTON, SHAWN<br>esponded to 1115 Spring Brar<br>bassy Pkwy. 870-424-0101<br>v, SHAWN<br>02 responded to 105 S Cardin  | ion by LOFTON, SHAWN<br>ion by LOFTON, SHAWN<br>basso prevented to 1115 Spring Bran<br>bassy Pkwy. 870-424-0101<br>J. SHAWN<br>02 responded to 105 S Cardin<br>02 responded to 105 S Cardin<br>hey had installed were the 10   | An inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN<br>2022-768 - Unintentional transmission of arm, other: Apparatus 202 responded to 1115 Spring Bran<br>Replaced 5 smoke detector batteries for Mrs. Judy Recer at 739 Enbassy Pkwy. 870-424-0101<br>An inspection was completed for CASA by LOFTON, SHAWN<br>2022-780 - Alarm system activation, in fire - unintentional: Apparatus 202 responded to 105 S Cardin<br>Jack Kunath<br>66 Tumberry Ct<br>Mountain Home - 870-580-0152<br>is location to replace smoke detectors batteries. The smoke detectors they had installed were the 10<br>which have no serviceable battery.  | of the second of | of the second of | An inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN<br>4 inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN<br>t 2022-768 - Unintentional transmission of alarm, other: Apparatus 202 responded to 1115 Spring Brann<br>Replaced 5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy, 870-424-0101<br>An inspection was completed for CASA by LOFTON, SHAWN<br>2022-780 - Alarm system activation, no fire - unintentional: Apparatus 202 responded to 105 S Cardina<br>Jack Kunath<br>56 Turnberry Ct<br>Montain Home No. 800-0152<br>his location to replace smoke detector batteries. The smoke detectors they had installed were the 10 y<br>which have no serviceable battery.<br>Incident 2022-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S Cardinal DR<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>An inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>An inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>An inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN  | of the second of | on by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>D2 responded to 105 S Cardin<br>hey had installed were the 10<br>pended to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>wens Insurance, 870-492-245(<br>OFTON, SHAWN<br>ON, SHAWN  | op by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>D2 responded to 105 S Cardin<br>Deh had installed were the 10<br>ponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>wens Insurance, 870-492-245(<br>OFTON, SHAWN<br>ON, SHAWN  | op by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>ney had installed were the 10<br>pponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>wens Insurance, 870-492-245(<br>OFTON, SHAWN<br>ON, SHAWN<br>OFTON, SHAWN   | op by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>basso Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>D2 responded to 153 S Cardinal DR<br>optonded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>Nens Insurance, 870-492-245(<br>OFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN  | op by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>D2 responded to 153 S Cardinal DR<br>oproded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>Nens Insurance, 870-492-245(<br>OFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DY, SHAWN   | on by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>D2 responded to 105 S Cardin<br>DP<br>Dended to 153 S Cardinal DR<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DN, SHAWN<br>DN, SHAWN<br>DN, SHAWN  | in by LOFTON, SHAWN<br>basso Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>hey had installed were the 10<br>ponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>N, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>ON, SHAWN<br>DFTON, SHAWN<br>DY, SHAWN<br>DN, SHAWN<br>DY, SHAWN<br>DY, SHAWN<br>DN, SHAWN<br>DY, SHAWN<br>DY, SHAWN  | op by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>ney had installed were the 10<br>ponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>N, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DY, SHAWN<br>DY, SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN   | on by LOFTON, SHAWN<br>ison by LOFTON, SHAWN<br>bassy Pkwy. 870-424-0101<br>I, SHAWN<br>D2 responded to 105 S Cardin<br>hey had installed were the 10<br>ponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>N, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>OFTON, SHAWN<br>DFTON, SHAWN<br>DFTON, SHAWN<br>DY, SHAWN<br>SHAWN<br>SHAWN<br>ON, SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAWN<br>SHAW  | is the second of   | ion by LOFTON, SHAWN<br>besponded to 1115 Spring Bran<br>bassy Pkwy. 870-424-0101<br>i, SHAWN<br>02 responded to 105 S Cardin<br>ney had installed were the 10 y<br>ponded to 153 S Cardinal DR<br>OFTON, SHAWN<br>LOFTON, SHAWN<br>COTTON, SHAWN<br>ON, SHAWN<br>ON, SHAWN<br>DN, SHAWN<br>DTON, SHAWN<br>DTON, SHAWN<br>DY, SHAWN<br>DY, SHAWN<br>ON, SHAWN  |
| inspection was completed for Mountain Home Water Department Office by LOFTON, SHAN<br>An inspection was completed for Min. Home City Fuel Center by LOFTON, SHAWN<br>An inspection was completed for Mountain Home Police Department by LOFTON, SHAWN | Center by LOFTON, SHA<br>Department by LOFTON, 5                                  | Jepartment by LOFTON, 5                            |   | An inspection was completed for US Army Corps of Engineers by LOFTON, SHAWN |                                 | id Mediation by LOFTON,  | id Mediation by LOF TON,<br>tus 202 responded to 111   | id Mediation by LOF TON,<br>tus 202 responded to 111<br>: 739 Embassy Pkwy. 870   | Id Mediation by LOF TON,<br>tus 202 responded to 111<br>739 Embassy Pkwy. 870<br>LOFTON, SHAWN  | Id Mediation by LOF 10N,<br>tus 202 responded to 111<br>739 Embassy Pkwy. 870.<br>LOFTON, SHAWN<br>aratus 202 responded to   | Id Mediation by LOF TON,<br>Ius 202 responded to 111:<br>739 Embassy Pkwy, 870-<br>739 Endassy Pkwy, 870-<br>739 Endassy Pkwy, 870-<br>739 Endassy Pkwy, 870-<br>1152 Tesponded to<br>152<br>152<br>152<br>152<br>152<br>152<br>152<br>152<br>152<br>152   | Id Mediation by LOTON,<br>Ius 202 responded to 111:<br>739 Embassy Pkwy. 870.<br>LOFTON, SHAWN<br>aratus 202 responded to<br>152<br>tectors they had installed<br>titery.<br>s 202 responded to 153 S   
  | cicion was completed for Roadmaps Courseling and Mediation by LOFTON.<br>Unintentional transmission of alarm, other: Apparatus 202 responded to 1115<br>5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870–<br>An inspection was completed for CASA by LOFTON, SHAWN<br>larm system
activation, no fire - unintentional: Apparatus 202 responded to 1<br>Jack Kunath<br>56 Tumberry Ct<br>Mountain Home. 870–580–0152<br>5 replace smoke detector batteries. The smoke detectors they had installed<br>which have no servicable battery.<br>2-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S1<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN  | section was completed for Roadmaps Counseling and Mediation by LOF 10N, S<br>- Unintentional transmission of alarm, other: Apparatus 202 responded to 1115;<br>d 5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870-4,<br>An inspection was completed for CASA by LOFTON, SHAWN<br>Alarm system activation, no fire - unintentional: Apparatus 202 responded to 10<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home 870-580-0152<br>to replace smoke detector batteries. The smoke detectors they had installed w<br>which have no serviceable battery.<br>222-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S C.<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>An inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN  | ud Mediation by LOT ON,<br>tus 202 responded to 111:<br>739 Embassy Pkwy. 870.<br>LOFTON, SHAWN<br>aratus 202 responded to<br>152<br>tectors they had installed<br>titery.<br>s 202 responded to 153 S<br>246 by LOFTON, SHAWN<br>forme by LOFTON, SHAWN<br>shely Havens Insurance,   | ction was completed for Roadmaps Courseling and Mediation by LOFTON,<br>Jinintentional transmission of alarm, other: Apparatus 202 responded to 1115<br>5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy, 870-<br>An inspection was completed for CASA by LOFTON, SHAWN<br>larm system activation, no fire - unintentional: Apparatus 202 responded to 1<br>Jack Kumath<br>56 Turmberry Ct<br>Mountain Home. 870-580-0152<br>o replace smoke detector batteries. The smoke detectors they had installed<br>which have no serviceable battery.<br>2-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S.<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>in inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>and contact info in Knox box at 2183 Hwy 62 W- Ashely Havens Insurance, 8<br>An inspection was completed for Wendy's Restaurant by LOFTON, SHAWN   | Id Mediation by LOF ION,<br>Ius 202 responded to 111:<br>739 Embassy Pkwy. 870-<br>LOFTON, SHAWN<br>aratus 202 responded to<br>ectors they had installed<br>titery.<br>246 by LOFTON, SHAWN<br>one by LOFTON, SHAWN<br>shely Havens Insurance,<br>and by LOFTON, SHAWN<br>shely LOFTON, SHAWN   | Schon was completed for Roadmaps Courseling and Mediation by LOF TON,<br>Inintentional transmission of alarm, other: Apparatus 202 responded to 111<br>5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870-<br>An inspection was completed for CASA by LOFTON, SHAWN<br>arm system activation, no fire - unintentional: Apparatus 202 responded to<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home- 870-580-0152<br>replace smoke detector butteries. The smoke detectors they had installed<br>which have no serviceable battery.<br>2-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>do contact info in Knox box at 2183 Hwy 62 W- Ashely Havens Insurance, f<br>An inspection was completed for Wendy's Restaurant by LOFTON, SHAWN<br>An inspection was completed for Slick Lube Express by LOFTON, SHAWN<br>An inspection was completed
for Slick Lube Express by LOFTON, SHAWN<br>An inspection was completed for Slick Lube Express by LOFTON, SHAWN  | ticton was completed for Roadmaps Counseling and Mediation by LOF TON,<br>inintentional transmission of alarm, other: Apparatus 202 responded to 111<br>5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870-<br>An inspection was completed for CASA by LOFTON, SHAWN<br>arm system activation, no fire - unintentional: Apparatus 202 responded to<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home- 870-580-0152<br>replace smoke detector batteries. The smoke detectors they had installed<br>which have no serviceable battery.<br>-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S<br>un inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>do contact info in Knox box at 2183 Hwy 62 W- Ashely Havens Insurance, i<br>an inspection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>An inspection was completed for Slick Lube Express by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for Slick Lube Express by LOFTON, SHAWN   | on was completed for Roadmaps Counseling and Mediation by LOF TON,<br>intentional transmission of alarm, other: Apparatus 202 responded to 111<br>smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870.<br>An inspection was completed for CASA by LOFTON, SHAWN<br>m system activation, no fire - unintentional: Apparatus 202 responded to<br>Jack Kurath<br>56 Turnberry Ct<br>Mountain Home- 870-580-0152<br>aplace smoke detector batteries. The smoke detectors they had installed<br>which have no serviceable battery.<br>785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S<br>i inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>nspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>an inspection was completed for Wendy's Restaurant by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for Static Lube Express by LOFTON, SHAWN<br>An inspection was completed for Static Lube Express by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN  | Id Mediation by LOFTON,<br>1739 Embassy Pkwy, 870-<br>LOFTON, SHAWN<br>aratus 202 responded to<br>1622<br>1622<br>1622<br>1622 responded to<br>153 S<br>246 by LOFTON, SHAWN<br>of by LOFTON, SHAWN<br>shely Havens Insurance,<br>i and by LOFTON, SHAWN<br>ses by LOFTON, SHAWN<br>a by LOFTON, SHAWN<br>of by LOFTON, SHAWN<br>ses by LOFTON, SHAWN<br>of by LOFTON, SHAWN<br>of by LOFTON, SHAWN<br>of by LOFTON, SHAWN  | on was completed for Roadmaps Counseling and Mediation by LOF TON,<br>intentional transmission of alarm, other: Apparatus 202 responded to 111<br>smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy, 870-<br>An inspection was completed for CASA by LOFTON, SHAWN<br>m system activation, no fire - unintentional: Apparatus 202 responded to<br>Jack Kurath<br>6 furmberry
Ct<br>Mountain Home- 870-580-0152<br>aplace smoke detector battenes. The smoke detectors they had installed<br>which have no serviceable battery.<br>TB5 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S<br>inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>respection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>appection was completed for Orscheln Farm & Home by LOFTON, SHAWN<br>an inspection was completed for Wendy's Restaurant by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for Whee Oak Station by LOFTON, SHAWN<br>An inspection was completed for Porsia Hut by LOFTON, SHAWN<br>An inspection was completed for Porsia by LOFTON, SHAWN  | Respection was completed for Roadmaps Counseling and Mediaton by LOF TON, SHA<br>B8 - Unintentional transmission of alarm, other: Apparatus 202 responded to 115 Spr<br>aced 5 smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 870 424.<br>An inspection was completed for CASA by LOFTON, SHAWN<br>0 - Alarm system activation, no fire - uninentional: Apparatus 202 responded to 105 E<br>Jack Kunnah<br>B1 ack Kunnah<br>B1 ack Kunnah<br>B2 Lack Kunnah<br>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>An inspection was completed for VFW Hall Post 3248 by LOFTON, SHAWN<br>An inspection was completed for VFW Hall Post 3248 by LOFTON, SHAWN<br>An inspection was completed for Vrechell Farm & Home by LOFTON, SHAWN<br>An inspection was completed for Verkube Express by LOFTON, SHAWN<br>An inspection was completed for Verkube Express by LOFTON, SHAWN<br>An inspection was completed for Nendy's Restaurant by LOFTON, SHAWN<br>An inspection was completed for Porsci Hube Express by LOFTON, SHAWN<br>An inspection was completed for Portiza Hut by LOFTON, SHAWN<br>An inspection was completed for Portiza Hut by LOFTON, SHAWN<br>An inspection was completed for Portiza Hut by LOFTON, SHAWN<br>An inspection was completed for Portiza Hut by LOFTON, SHAWN<br>An inspection was completed for Portiza Thut by LOFTON, SHAWN<br>An inspection was completed for Portiza Thut by LOFTON, SHAWN<br>An inspection was completed for Portiza Thut by LOFTON, SHAWN<br>An inspection was completed for Portiza Thut by LOFTON, SHAWN   | intentional transmission of alarm, other: Apparatus 202 responded to 111<br>smoke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy, 870-<br>An inspection was completed for CASA by LOFTON, SHAWN<br>m system activation, no fire - unintentional: Apparatus 202 responded to<br>Jack Kurath<br>6 Turnberry Ct<br>Mountain Home- 870-580-0152<br>eplace smoke detector batteries. The smoke detectors they had installed<br>which have no serviceable battery.<br>785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 S<br>inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>mspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>an inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>in inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>mspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN<br>an inspection was completed for Wendy's Restaurant by LOFTON, SHAWN<br>An inspection was completed for White Oak Station by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN<br>An inspection was completed for Prizz Hut by LOFTON, SHAWN   | Id Mediation by LOFTON,<br>1739 Embassy Pkwy, 870-<br>LOFTON, SHAWN<br>aratus 202 responded to<br>152<br>152<br>152<br>152<br>152<br>152 responded to 153 S<br>246 by LOFTON, SHAWN<br>16me by LOFTON, SHAWN<br>16me by LOFTON, SHAWN<br>16m by LOFTON, SHAWN<br>170 by LOFTON, SHAWN<br>18 by LOFTON, SHAWN<br>18 by LOFTON, SHAWN<br>18 by LOFTON, SHAWN<br>18 by LOFTON, SHAWN<br>19 y LOFTON, SHAWN<br>10 by LOFTON, SHAWN   
  | Id Mediation by LOFTON,<br>1739 Embassy Pkwy, 870-<br>LOFTON, SHAWN<br>aratus 202 responded to<br>182<br>182<br>182<br>182<br>246 by LOFTON, SHAWN<br>eme by LOFTON, SHAWN<br>eme by LOFTON, SHAWN<br>shely Havens Insurance, i<br>and by LOFTON, SHAWN<br>on by LOFTON, SHAWN<br>a by LOFTON, SHAWN<br>e by LOFTON, SHAWN<br>medion by LOFTON, SHAWN<br>by LOFTON, SHAWN  | <ul> <li>ection was completed for Roadmaps Counseling and Mediation by LOF TON, Section was completed for Roadmaps Counseling and Mediation by LOF TON, SHAWN</li> <li>an inspection was completed for CASA by LOF TON, SHAWN</li> <li>An inspection was completed for CASA by LOF TON, SHAWN</li> <li>Alarm system activation, no fire - unintentional: Apparatus 202 responded to 10 Jack Kunath</li> <li>56 Trumberry Ct</li> <li>Mountain Home- 870-580-0152</li> <li>to replace smoke detector bratteries. The smoke detectors they had installed w which have no serviceable battery.</li> <li>22-785 - Trash or rubbish fire, contained: Apparatus 202 responded to 153 SC</li> <li>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN</li> <li>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN</li> <li>An inspection was completed for VFW Hall Post 3246 by LOFTON, SHAWN</li> <li>An inspection was completed for Verwick Restaurant by LOFTON, SHAWN</li> <li>An inspection was completed for Wendy's Restaurant by LOFTON, SHAWN</li> <li>An inspection was completed for Preza Hut by LOFTON, SHAWN</li> <li>An inspection was completed for Postick Lube Express by LOFTON, SHAWN</li> <li>An inspection was completed for Postick Lube Express by LOFTON, SHAWN</li> <li>An inspection was completed for Postick Lube Express by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Hut by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Hut by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Hut by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Interapy Connection by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Interapy Connection by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Interapy Connection by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Int by LOFTON, SHAWN</li> <li>An inspection was completed for Perza Int by LOFTON, SHAWN</li> <li>An inspection was completed for Perradice Cream by LOFTON, SHAWN</li> <li>An inspection was compl</li></ul>   |
| Water Department Off<br>ne City Fuel Center by<br>ome Police Department   | ne City Fuel Center by I<br>ome Police Department                                 | ome Police Department                              | Compare of Facino and his                                       | Corps or Engineers uy   | ounseling and Mediation         |  | ther: Apparatus 202 res  | her: Apparatus 202 resi<br>udy Recer at 739 Emba  | her: Apparatus 202 resi<br>udy Recer at 739 Emba:<br>or CASA by LOFTON,   | her: Apparatus 202 res<br>idy Recer at 739 Emba:<br>or CASA by LOFTON, {<br>shtional: Apparatus 202  | her: Apparatus 202 resi<br>idy Recer at 739 Embaa<br>or CASA by LOFTON, 5<br>intional: Apparatus 202<br>unath<br>berry Ct<br>- 870-680-0152<br>e smoke detectors the<br>roiceable battery.   | her: Apparatus 202 resi<br>rdy Recer at 739 Embaa<br>or CASA by LOFTON, 5<br>intional: Apparatus 202<br>unath<br>berry Ct<br>e 870-680-0152<br>e smoke detectors the<br>roiceable battery.  
  | her: Apparatus 202 resi<br>rdy Recer at 739 Embaa<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>untath<br>berry Ct<br>berry Ct<br>berry Ct<br>e smoke detectors the<br>rviceable battery.<br>d: Apparatus 202 respo<br>d: Hall Post 3246 by LOF   
   | her: Apparatus 202 resi<br>dy Recer at 739 Embaa<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>untain<br>berry Ct<br>berry Ct<br>berry Ct<br>berry Ct<br>or anoke detectors the<br>inviceable battery.<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>di Farm & Home by LO  | her: Apparatus 202 resi<br>dy Recer at 739 Embaa<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>berry CB<br>berry CB<br>berry CB<br>berry CB<br>berry CB<br>canable battery.<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>di Post 3246 by LOF<br>Paln Farm & Home by LOF<br>wy 62 W- Ashely Have   | her: Apparatus 202 resi<br>dy Recer at 739 Embara<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- \$70-580-0152<br>e smoke detectors the<br>inviceable battery.<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>di Farm & Home by LOF<br>len Farm & Home by LOF<br>ley Fastaurant by LOF  | her: Apparatus 202 resi<br>dy Recer at 739 Embars<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry C5<br>- 870-550-0152<br>e smoke detectors the<br>inviceable battery.<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>di Farm & Home by LOF<br>Iwy 62 W- Ashely Have<br>dy's Restaurant by LOF<br>Back Forty by LOFTON  | her: Apparatus 202 resi<br>dy Recer at 739 Embas<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- \$70-580-0152<br>e smoke detectors the<br>inviceable battery.<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>d: Apparatus 202 respo<br>di Parm & Home by LOF<br>len Farm & Home by LOF<br>len Farm & Shely Have<br>dy's Restaurant by LOF<br>Back Forty by LOFTON<br>(Lube Express by LOF  
   | her: Apparatus 202 resi<br>dy Recer at 739 Embas<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- Broyc 80<br>- Broyc 80<br>- Broyc 80<br>- S0<br>- S0<br>- S0<br>- S0<br>- S0<br>- S0<br>- S0<br>- S  | her: Apparatus 202 resi<br>dy Recer at 739 Embas<br>or CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- Broyc 80<br>- Broyc 80<br>- Broyc 80<br>- Broyc 80<br>- Storespo<br>- Storespo<br>- Storespo<br>- Apparatus 202 respo<br>- Apparatus 202 respo<br>- Apparatus 202 respo<br>- Apparatus 202 respo<br>- Hall Post 3246 by LOF<br>Inviceable battery.<br>May 62 W- Ashely Have<br>dy's Restaurant by LOFTON<br>rube Express by LOFT<br>ite Oak Station by LOFT<br>prinio's Pizza by LOFT   | her: Apparatus 202 resi<br>dy Recer at 739 Embas<br>r CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- 870-580-<br>- 870-570-<br>May 62 W- Ashely Have<br>dy's Restaurant by LOF<br>Iow 62 W- Ashely Have<br>dy's Restaurant by LOF<br>tie Oak Station by LOFT<br>Pizza Hut by LOFTON  | her: Apparatus 202 resi<br>dy Recer at 739 Embas<br>r CASA by LOFTON, 5<br>initional: Apparatus 202<br>unath<br>berry CB<br>- 870-580-<br>- 100-570-<br>May 62 W- Ashely Have<br>dy S Restaurant by LOFT<br>Pizza Hut by LOFTON<br>on by Darcie by LOFTON  
  | her: Apparatus 202 resi<br>idy Recer at 739 Embas<br>or CASA by LOFTON, §<br>mitional: Apparatus 202<br>unath<br>berry 52<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.<br>- 470-580-0152<br>e smoke detectors they<br>riviceable battery.<br>- 480-580-0152<br>e smoke detectors they<br>riviceable battery.<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.   | her: Apparatus 202 resi<br>idy Recer at 739 Embas<br>or CASA by LOFTON, §<br>mitional: Apparatus 202<br>unath<br>berry C3<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.<br>d: Apparatus 202 respo<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.<br>d: Apparatus 202 respo<br>- 810-580-0152<br>e smoke detectors they<br>riviceable battery.<br>d: Apparatus 202 respo<br>- 810-580-0152<br>e smoke detectors they<br>riviceable battery.<br>di Apparatus 202 respo<br>- 810-580-0152<br>e smoke detectors they<br>riviceable battery.<br>di Apparatus 202 respo<br>di Apparatus 202 respo<br>- 810-510-510-510-510-510-510-510-510-510-5   | her: Apparatus 202 resi<br>idy Recer at 739 Embas<br>or CASA by LOFTON, §<br>mitional: Apparatus 202<br>unath<br>berry C3<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.<br>d: Apparatus 202 respo<br>- 870-580-0152<br>e smoke detectors they<br>riviceable battery.<br>d: Apparatus 202 respo<br>- 810-580-0152<br>e smoke detectors they<br>riviceable battery.<br>Hall Post 3246 by LOF<br>Hall Post 3246 by LOF<br>Hal   | her: Apparatus 202 resi<br>idy Recer at 739 Embas<br>or CASA by LOFTON, 5<br>intional: Apparatus 202<br>interns 2<br>e smoke detectors they<br>erry cites and the parture<br>or cleable battery.<br>e smoke detectors they<br>rivecable battery.<br>e Apparatus 202 respo<br>it Apparatus 202 respo<br>it Apparatus 202 respo<br>it Apparatus 202 respo<br>it Apparatus 202 respo<br>or Hall Post<br>an Farm & Home by LOF<br>and Forty by LOFTON<br>fue Express by LOFT<br>intion's Pizza by LOFTON<br>intion's Pizza by LOFT<br>Pizza Hut by LOFTON<br>or by Darcie by LOFT<br>intion's Pizza by LOFT<br>intion's Pizza hut by LOFTON<br>intion's Pizza intiby LOFTON  
   | her: Apparatus 202 resi<br>idy Recer at 739 Embas<br>r CASA by LOFTON, §<br>mitonal: Apparatus 202<br>tunath<br>berry Ci<br>800-680-0152<br>e smoke detectors they<br>roteable battery.<br>d: Apparatus 202 respo<br>rational paratus 202 respo<br>rational paratus 202 respo<br>rational paratus 202 respo<br>roteable battery.<br>dy S Restaurant by LOFT<br>Marros Pizza hut by LOFTON<br>radice Cream by LOFTON<br>radice Cream by LOFTO<br>Pizza Inn by LOFTON<br>anada Inn by LOFTON<br>Pizza Inn by LOFTON<br>dge Bar and Grill by LO<br>dge Bar and Grill by LOF   |
| ountain Home Water De<br>J for Mtn. Home City Fu<br>r Mountain Home Police<br>J for US Army Corps of I  | J for Mtn. Home City Fu<br>r Mountain Home Police<br>d for US Army Corps of       | r Mountain Home Police<br>I for US Army Corps of I | I for US Army Corps of I  |   | Roadmaps Counseling             | and we will be a set of the set o | in or alarm, ower. Appar   | in of alarm, outer, Apparties for Mrs. Judy Recer   | itional transmission or alarm, oner: Apparatus zuz responeed<br>ke detector batteries for Mrs. Judy Recer at 739 Embassy Pkw<br>An inspection was completed for CASA by LOFTON, SHAVN | in or alarm, ouner: Appart<br>ies for Mrs. Judy Recer<br>is completed for CASA b<br>no fire - unintentional: Ar  | sision or ararm, ormer: Appartus 2/<br>titeries for Mrs. Judy Recer at 739<br>was completed for CASA by LOFT<br>on, no fire - unintentional: Apparatu<br>Jack Kumath<br>56 Turmberry Ct<br>Mountain Home 307-580-0152<br>cicri batteries. The smoke detector<br>which have no serviceable battery.   | n or ararm, ourer. Appare<br>es for Mrs. Judy Recer. 1<br>s completed for CASA b<br>lo fire - unintentional: Ar<br>Jack Kunath<br>56 Turmberry Ct<br>ountaint Nume. 870-580<br>ountaint Nume. 870-580<br>ountai  
   | n or ararm, ourer. Appart<br>es for Mrs. Judy Recer :<br>s completed for CASA b<br>lo fire - unintentional: Ar<br>Jack Kunath<br>56 Turmberry Ct<br>ountaint home. 370–580.<br>untaint home. 370–580.<br>untaint home. 370–580.<br>ch have no serviceable I<br>fire, contained: Apparat<br>fire, contained: Apparat<br>leted for VFW Hall Post   | n or ararm, ourer. Appar<br>es for Mrs. Judy Recer :<br>s completed for CASA b<br>lo fire - unintentional: Ar<br>Jack Kunath<br>56 Turmberry Ct<br>untaint home. 870-580.<br>Jauntaint home. 870-580.<br>Jauntaint home. 870-580.<br>Jauntaint home. 870-580.<br>Janta on Serviceable I<br>fire, contained: Apparat<br>leted for VFW Hall Post<br>ted for Orscheln Farm 8  | n or ararm, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>lo fire - unintentional: Ar<br>Jack Kunath<br>56 Turmberry Ct<br>batteries. The smoke d<br>batteries. The smoke d<br>batterie | n or ararm, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>lo fire - unintentional:
Af<br>Jack Kunath<br>56 Turmberry Ct<br>batteries. The smoke d<br>bahave no serviceable I<br>fire, contained: Apparat<br>leted for VFW Hall Post<br>ted for Orscheln Farm 8<br>box at 2183 Hwy 62 W-<br>leted for Wendy's Resta   | errutoria transmission or aiam, other: Apparatus 2.vz responded to<br>noke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy.<br>An inspection was completed for CASA by LOFTON, SHAWN<br>system activation, no fire - unintentional: Apparatus 202 responder<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home. 870-580-0152<br>acce smoke detector batteries. The smoke detectors they had inste<br>which have no serviceable battery.<br>5 - Trash or rubbish fire, contained: Apparatus 202 responded to 16<br>ispection was completed for VFW Hall Post 3246 by LOFTON, SH<br>pection was completed for Orscheln F arm & Home by LOFTON, SH<br>pection was completed for Wendy's Restaurant by LOFTON, SH<br>An inspection was completed for Wendy's Restaurant by LOFTON, SH<br>An inspection was completed for Wendy's Restaurant by LOFTON, SH<br>An inspection was completed for Back Forty by LOFTON, SHAWN | n or ararm, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>lo fire - unintentional: Af<br>Jack Kunath<br>56 Turnberry Ct<br>Jack Kunath<br>56 Turnberry Ct<br>batteries. The smoke d<br>batter for VFW Hall Post<br>fire, contained: Apparat<br>leted for VFW Hall Post<br>ted for Orscheln Farm 8<br>box at 2183 Hwy 62 W-<br>leted for Wendy's Resta<br>completed for Back Fort<br>bleted for Slick Lube Ext   | n or ararm, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>lo fire - unintentional: Ar<br>Jack Kunath<br>56 Turnberry Ct<br>burtaint Mome. 870–580-<br>burtaint Mome. 870–870<br>bost at 2183 Hwy 62 W-<br>leted for Wendy's Resta<br>completed for Wendy's Resta<br>pleted for Slick Lube Exi<br>pleted for White Oak Ste  | n or aram, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>lo fire - unintentional: Af<br>Jack Kunath<br>56 Turnberry Ct<br>butteries. The smoke d<br>butteries. The smoke d<br>butter of the state<br>butter of the state<br>completed for White Oak Ste<br>pleted for White Oak Ste<br>pleted for White Oak Ste<br>pleted for Domino's Pis  
  | antonau ransmission on araim, orner: Apparatus 2.02 responded to<br>oke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy.<br>An inspection was completed for CASA by LOFTON, SHAWN<br>system activation, no fire - unintentional: Apparatus 202 responde<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home. 870-580-0152<br>ace smoke detector batteries. The smoke detectors they had inst<br>which have no serviceable battery.<br>5. Trash or rubbish fire, contained: Apparatus 202 responded to 1<br>spection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for Orscheln Farm & Home by LOFTON, SH<br>ontact info in Knox box at 2183 Hwy 62 W. Ashely Havens Insurar<br>spection was completed for Wendy's Restaurant by LOFTON, SH<br>in inspection was completed for White Oak Station by LOFTON, SH<br>inspection was completed for Domino's Pizza by LOFTON, SHAW<br>inspection was completed for Domino's Pizza by LOFTON, SHAW   | n or ararm, ourer. Appare<br>es for Mrs. Judy Recer :<br>a completed for CASA b<br>Jack Kunath<br>56 Turnberny Ct<br>batteries. The smoke d<br>bhave no serviceable I<br>fire, contained: Apparat<br>fire, contained: Apparat<br>fire, contained: Apparat<br>leted for VFW Hall Post<br>ted for Orscheln Farm 8<br>box at 2183 Hwy 62 W-<br>leted for Wendy's Resta<br>completed for Back Forty<br>bleted for White Oak St<br>pleted for White Oak St<br>pleted for Pirzza Hul<br>mpleted for Pirza Hul   | n or aram, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>Jack Kunath<br>56 Turnberny Ct<br>untaintome. 870–580-<br>batteries. The smoke d<br>bhave no serviceable h<br>fire, contained: Apparat<br>fire, contained: Apparat<br>fire, contained: Apparat<br>leted for VFW Hall Post<br>ted for Orscheln Farm 8<br>box at 2183 Hwy 62 W-<br>leted for Mendy's Resta<br>completed for Back Forty<br>bleted for Slick Lube Ext<br>pleted for White Oak St<br>pleted for Physical Therapy C  | n or aram, ourer. Appar<br>es for Mrs. Judy Recer i<br>s completed for CASA b<br>Jack Kunath<br>56 Turnberny Ct<br>untainhome. 870–580-<br>butteries. The smoke d<br>bhave no serviceable I,<br>have no serviceable I,<br>have no serviceable I,<br>batteries. The smoke d<br>bhave no serviceable I.<br>Netted for VFW Hall Post<br>ted for Orscheln Farm 8<br>box at 2183 Hwy 62 W-<br>leted for Mendy's Resta<br>ompleted for Back Forty<br>bleted for Slick Lube Ext<br>pleted for Pornino's Piz<br>completed for Pizza Hut<br>npleted for Prizza Hut<br>mpleted for Prizza Hut<br>hybeical Therrapy C<br>pleted for Priscial Therrapy C   
  | retrained for the second or aidm, other Apparatus 2.02 responded to<br>noke detector batteries for Mrs. Judy Recer at 739 Embassy Pkwy. 8<br>An inspection was completed for CASA by LOFTON, SHAWN<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home. 870-580-0152<br>lace smoke detector batteries. The smoke detectors they had instal<br>which have no serviceable battery.<br>55 - Trash or rubbish fire, contained: Apparatus 202 responded to 15<br>mspection was completed for VFW Hall Post 3246 by LOFTON, SHA<br>pection was completed for VFW Hall Post 3246 by LOFTON, SHA<br>prection was completed for VFW Hall Post 3246 by LOFTON, SHA<br>ontract info in Knox box at 2183 Hwy 62 W- Ashely Havens Insuran<br>mspection was completed for Wendy's Restaurant by LOFTON, SHAW<br>in inspection was completed for Dark Lube Express by LOFTON, SHAW<br>in inspection was completed for Dark Lube Express by LOFTON, SHAW<br>in inspection was completed for Domino's Pizza by LOFTON, SHAW<br>in inspection was completed for Pizza Hut by LOFTON, SHAW<br>in inspection was completed for Pizza Hut by LOFTON, SHAW<br>An inspection was completed for Pizza Hut by LOFTON, SHAW<br>in inspection was completed for Pizza Hut by LOFTON, SHAW<br>in inspection was completed for Pizza Hut by LOFTON, SHAW<br>An inspection was completed for Pizza Hut by LOFTON, SHAW<br>An inspection was completed for Pizza Hut by LOFTON, SHAW<br>An inspection was completed for Pizza Hut by LOFTON, SHAW<br>An inspection was completed for Pizza Hut by LOFTON, SHAWN<br>An inspection was completed for Pizza Hut by LOFTON, SHAWN<br>An inspection was completed for Pizza Hut by LOFTON, SHAWN<br>An inspection was completed for Remada Inn by LOFTON, SHAWN  | an inspection was completed for CASA by LOFTON, SHAWN<br>system activation, no fire - unintentional: Apparatus 202 responde<br>Jack Kunath<br>56 Turnberry Ct<br>Mountain Home. 870-580-0152<br>ace smoke detector batteries. The smoke detectors<br>which have no serviceable battery.<br>5. Trash or rubbish fire, contained: Apparatus 202 responded to 1<br>spection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for VFW Hall Post 3246 by LOFTON, SH<br>ection was completed for Wendy's Restaurant by LOFTON, SH<br>matcr info in Knox box at 2183 Hwy 62 W- Ashely Havens Insural<br>spection was completed for Wendy's Restaurant by LOFTON, SH<br>inspection was completed for Slick Lube Express by LOFTON, SHAW<br>inspection was completed for Parza Hut by LOFTON, SHAW<br>inspection was completed for Parza Hut by LOFTON, SHAW<br>inspection was completed for Prixeian they LOFTON, SHAW<br>inspection was completed for Remada Inn by LOFTON, SHAWN   | n or aram, ourer. Appare<br>es for Mrs. Judy Recer :<br>a completed for CASA b<br>Jack Kunath<br>56 Turnberny Ct<br>butteries. The smoke d<br>bhave no serviceable I,<br>bhave no serviceable I,<br>batteries. The smoke d<br>bhave no serviceable I.<br>teted for VFW Hall Post<br>teted for VFW Hall Post<br>teted for VFW Hall Post<br>leted for VFW Hall Post<br>box at 2183 Hwy 62 W-<br>leted for Mendy's Resta<br>ompleted for Back Forty<br>bleted for Back Forty<br>bleted for Placza Hut<br>npleted for Pomino's Piz<br>completed for Prizza Hut<br>npleted for Prizza Inn<br>ted for Live Edge Bar a  
   |
| pleted for Mountain Ho<br>as completed for Mtn. F<br>ompleted for Mountain<br>is completed for US Arr   | as completed for Mtn. F<br>ompleted for Mountain<br>is completed for US Arr       | ompleted for Mountain<br>is completed for US Arr   | is completed for US Arr   |   | mpleted for Roadmaps            | I transmission of alarm,   |  | tector batteries for Mrs.   | tector batteries for Mrs.   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - unit  | tector batteries for Mrs.<br>spection was completer<br>activation, no fire - uni<br>Jacl<br>56 Tu<br>Mountain Hor<br>oke detector batteries.   | tector batteries for Mrs.<br>spection was completer<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no.   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Moutalin Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail  | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>boke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for VFs<br>was completed for VFs   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for VF<br>was completed for Orse<br>was completed for Orse   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for VF<br>was completed for Crss<br>mfo in Knox box at 2183<br>n was completed for Vrs  | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for VF<br>was completed for Orse<br>was completed for W<br>was completed for W<br>was completed for W  | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for Orse<br>was completed for Orse<br>was completed for W<br>wes completed for W<br>wes completed for ST<br>n was completed for ST<br>n of ST   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>S6 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for Ors<br>was completed for Ors<br>was completed for Ors<br>was completed for S183<br>n was completed   | tector batteries for Mrs.<br>spection was completed<br>activation, no fire - uni<br>Jacl<br>66 Tu<br>Mountain Hor<br>oke detector batteries.<br>which have no<br>h or rubbish fire, contail<br>n was completed for Ors<br>was completed for Ors<br>was completed for S<br>n was completed for N was | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>Jacl<br>66 tu<br>Mountain Hor<br>oke detector batteries.<br>Which hateries.<br>Which hateries.<br>Mon or rubbish fire, contail<br>no was completed for Vis<br>no was completed for Si<br>no was completed for<br>Nion was completed for  | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 tu<br>56 tu<br>61 do<br>61 d | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 tu<br>56 tu<br>Mountain Hor<br>6 to<br>76 to<br>8 to<br>10 or rubbish fire, contail<br>n was completed for VF<br>was completed for Orss<br>was completed for Orss<br>was completed for Orss<br>was completed for N<br>ru was completed for N<br>in was completed for<br>fion was completed for N<br>fion was completed for N  | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 Tu<br>56 Tu<br>Mountain Hor<br>6 Tu<br>60 no activation and<br>6 to the tector batteries.<br>Was completed for VF<br>was completed for Orss<br>for Na completed for V<br>was completed for N<br>and was completed for N<br>ion was completed for N<br>ion was completed for N<br>ion was completed for N<br>ion was completed for S<br>ion was completed for S  | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 tu<br>56 tu<br>Mountain Hor<br>6 to<br>which have no<br>hor rubbish fire, contail<br>n was completed for VF<br>was completed for Orss<br>for N was completed for N<br>ection was completed for<br>no was completed for<br>fion was completed for  | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 Tu<br>56 Tu<br>Mountain Hor<br>oke detector batteries.<br>Was completed for VF<br>was completed for Orsw<br>was completed for Orsw<br>was completed for Orsw<br>was completed for N<br>or was completed for N<br>in was completed for N<br>in was completed for N<br>ion was completed for Ion was completed for<br>cition was completed for Ion was completed for<br>ion was completed for N<br>ion was completed for  | tector batteries for Mrs.<br>spection was complete<br>activation, no fire - uni<br>56 Tu<br>56 Tu<br>Mountain Hor<br>oke detector batteries.<br>Was completed for VF<br>was completed for Orsw<br>was completed for Orsw<br>was completed for Orsw<br>and in Knox box at 2183<br>for in Knox box at 2183<br>for was completed for Orsw<br>and so completed for N<br>in was completed for N<br>ion was completed for for was completed for<br>for was completed for for hysic:<br>for was completed for for low as completed for for was completed for for was completed for for base was completed for for for was completed for for base was completed for for base was completed for for base for the ection was completed for for for base for the for for for base for the for for for base for base for the for for base for base for for base for base for for for base for the for for for base for the for for for the for for for base for base for base for for base for base for for base for base for the for for base for base for for base for base for the for for base for for for base for base for base for the for for base for the for for base for base for the for for base for base for the for for for base for the for for for base for the for for base for the for for for base for the for for for for base for the for for base for for base for the for  |
| bection was completed<br>An inspection was completed<br>inspection was completed<br>inspection was comp   | An inspection was completed<br>inspection was completed<br>An inspection was comp | nspection was complet<br>An inspection was comp    | An inspection was comp  | -1-1  | spection was complete           | 8 - Unintentional transn   | cad 5 smoke detector h   |   | An inspectio  | An inspection<br>- Alarm system activat  | Alarm system activation of the system activati | <ul> <li>Alarm system activation</li> <l< td=""><td><ul> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Coloration</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> </ul></td><td><ul> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Colored activation</li> <li>Colored activation</li> <li>An inspection was colored</li> </ul></td><td>Alarm system activation<br/>in to replace smoke det<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An isometion was co<br/>ys and contact info in K</td><td>Alarm system activation<br/>in to replace smoke det<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An inspection was co<br/>An inspection was co<br/>An inspection was co</td><td><ul> <li>Alarm system activation</li> <li>An inspection was conducted info in K An inspection was conducted and contact info in K An inspection was conducted and inspection was conducted and an inspection was conducted and and and and and and and and and an</li></ul></td><td>Alarm system activation<br/>in to replace smoke det<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An inspection was co</td><td>Alarm system activation<br/>and inspection<br/>in to replace smoke det<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An inspection was co</td><td>Alarm system activat<br/>an inspection<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An inspection was co</td><td>Alarm system activation<br/>and inspection<br/>and to replace smoke det<br/>2022-785 - Trash or rut<br/>An inspection was co<br/>An inspection was co<br/>An inspection was co<br/>An inspection was co<br/>An inspection was<br/>An inspection was<br/>An inspection was<br/>An inspection was<br/>An inspection was</td><td>Alarm system activation to replace smoke det<br/>an inspection was contract info in K<br/>An inspection was contract info was contract info in K<br/>An inspection was contract info was contract inspection was contract info was contraction was contract info was contraction was contractio</td><td><ul> <li>Alarm system activation to replace smoke det</li> <li>Alarm system activation</li> <li>an inspection was conditioned to the section was conditioned to the sectioned to the section was conditioned to the section was conditioned to the sectioned to the sectioned to the section was conditioned to the sectioned to the secti</li></ul></td><td>Alarm system activation to replace smoke det<br/>an inspection was co<br/>An inspection was<br/>An inspection was</td><td>Alarm system activat<br/>an inspection was contract<br/>An inspection was contract info in K<br/>An inspection was contract info was contract info in K<br/>An inspection was contract info was contraction w</td><td>Alarm system activat<br/>an inspection<br/>An inspection was co<br/>An inspection was<br/>An inspection was</td><td>Alarm system activat<br/>an inspection was contract<br/>An inspection was contract info in K<br/>An inspection was contract info was contract info in K<br/>An inspection was contract info was contract in the inspection was contracted in the inspection was contracted in the inspection was contracted in the contract info was contracted in the inspection was contracted in the inspection was contracted in the contracted i</td></l<></ul> | <ul> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Coloration</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> </ul>   | <ul> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Alarm system activation</li> <li>Colored activation</li> <li>Colored activation</li> <li>An inspection was colored</li> </ul>   | Alarm system activation<br>in to replace smoke det<br>2022-785 - Trash or rut<br>An inspection was co<br>An isometion was co<br>ys and contact info in K  | Alarm system activation<br>in to replace smoke det<br>2022-785 - Trash or rut<br>An inspection was co<br>An inspection was co<br>An inspection was co<br>An inspection was co  | <ul> <li>Alarm system activation</li> <li>An inspection was conducted info in K An inspection was conducted and contact info in K An inspection was conducted and inspection was conducted and an inspection was conducted and and and and and and and and and an</li></ul>   | Alarm system activation<br>in to replace smoke det<br>2022-785 - Trash or rut<br>An inspection was co<br>An inspection was co   | Alarm system activation<br>and inspection<br>in to replace smoke det<br>2022-785 - Trash or rut<br>An inspection was co<br>An inspection was co   | Alarm system activat<br>an inspection<br>2022-785 - Trash or rut<br>An inspection was co<br>An inspection was co   | Alarm system activation<br>and inspection<br>and to replace smoke det<br>2022-785 - Trash or rut<br>An inspection was co<br>An inspection was co<br>An inspection was co<br>An inspection was co<br>An inspection was<br>An inspection was<br>An inspection was<br>An inspection was<br>An inspection was   | Alarm system activation to replace smoke det<br>an inspection was contract info in K<br>An inspection was contract info was contract info in K<br>An inspection was contract info was contract inspection was contract info was contraction was contract info was contraction was contractio  | <ul> <li>Alarm system activation to replace smoke det</li> <li>Alarm system activation</li> <li>an inspection was conditioned to the section was conditioned to the sectioned to the section was conditioned to the section was conditioned to the sectioned to the sectioned to the section was conditioned to the sectioned to the secti</li></ul>  | Alarm system activation to replace smoke det<br>an inspection was co<br>An inspection was<br>An inspection was  | Alarm system activat<br>an inspection was contract<br>An inspection was contract info in K<br>An inspection was contract info was contract info in K<br>An inspection was contract info was contraction w   | Alarm system activat<br>an inspection<br>An inspection was co<br>An inspection was<br>An inspection was   | Alarm system activat<br>an inspection was contract<br>An inspection was contract info in K<br>An inspection was contract info was contract info in K<br>An inspection was contract info was contract in the inspection was contracted in the inspection was contracted in the inspection was contracted in the contract info was contracted in the inspection was contracted in the inspection was contracted in the contracted i  |
| An inspection was<br>An inspection<br>An inspection<br>An inspection was<br>An inspection was   | An inspection<br>An inspection<br>An inspection of<br>An inspection of<br>Inition | An inspection<br>An inspecti<br>An inspection w    | An inspecti<br>An inspection w<br>cident 2022-768 - I Initiated | An inspection w   | cident 2022-768 - I Ininter     | 1011110 - 001-3703 111000  | Replaced 5 smol  |   |   | ident 2022-780 - Alarm sy  | ident 2022-780 - Alarm s;<br>to this location to replace   | ident 2022-780 - Alarm sy<br>ident 2022-786 - Alarm sy<br>it to this location to replac   
  | ident 2022-780 - Alarm s)<br>it to this location to replac<br>Incident 2022-785 -<br>An insp   
   | ident 2022-780 - Alarm s)<br>it to this location to replac<br>Incident 2022-785 -<br>An inspe<br>An inspe  | ident 2022-780 - Alarm s)<br>it to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor  | ident 2022-780 - Alarm s)<br>it to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An insp  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>Ar  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An insp<br>An insp  
   | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An insp<br>An insp  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins   | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An ins  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An ins<br>An ins   
  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An ins<br>An inspectió  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An inspectió<br>An inspectió<br>An inspectió  | ident 2022-780 - Alarm sy<br>it to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An ins<br>An inspectió   
  | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An inspectió<br>An inspectió<br>An inspectió   | ident 2022-780 - Alarm s)<br>at to this location to replac<br>Incident 2022-785 -<br>An inspe<br>Placed keys and cor<br>An ins<br>An ins<br>An ins<br>An inspection<br>An  |
|   |   |  |   |   |                                 |  | 202 R  | 02  |   |  |  |   
  |  
   |  |   |  |   |   
   |   |  |   |  
  |   |   |  
  |  |  |
| 202<br>202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202                           | 202<br>202<br>202   | 202<br>202  | 202                             | CUC  | 202  | 202   | 202   |  | 202  | 202   
  | 202<br>202<br>202  
   | 202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202  
   | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   
  | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202  | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   
  | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   | 202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202<br>202   |
| INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INCIDENT  | INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION                              | INSPECTION<br>INSPECTION<br>INSPECTION<br>INCIDENT | INSPECTION<br>INSPECTION<br>INCIDENT                            | INSPECTION  | INCIDENT                        |  | DAYBOOK  | INSPECTION  | INCIDENT  |  | DAYBOOK  | DAYBOOK   
  | DAYBOOK<br>INCIDENT<br>INSPECTION  
   | DAYBOOK<br>INCIDENT<br>INSPECTION<br>INSPECTION  | DAYBOOK<br>INCIDENT<br>INSPECTION<br>INSPECTION<br>DAYBOOK  | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION   | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION<br>INSPECTION  | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION  
   | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION  | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION   | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>NSPECTION<br>DAYBOOK<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION<br>INSPECTION   | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION  
  | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION  | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION   | DAYBOOK<br>INCIDENT<br>INCIDENT<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION   
  | DAYBOOK<br>INCIDENT<br>INSPECTION<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION  | DAYBOOK<br>INCIDENT<br>INSPECTION<br>INSPECTION<br>DAYBOOK<br>DAYBOOK<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION<br>NSPECTION  |
| 03/23/2022 10:40:00 II<br>03/23/2022 10:40:00 II<br>03/23/2022 11:14:00 II<br>03/23/2022 11:55:00 II<br>03/23/2022 13:12:05   |   |  |   |   | J/2022 13:12:05                 | 00.30.01 00001   | 00.02.61 220210  | F   | 03/25/2022 08:18:06   |  | 03/25/2022 13:02:00  | 03/25/2022 13:02:00<br>03/25/2022 17:07:32  
  |  
   |  |   |  |   | | | | | | | | |
   |   |  |   |  
  |   |   |  
  |  |  |
|   |   |  |   |   |                                 | -  |  | -   | -   |  |  |   
  |  
   |  |   |  |   |   
   |   |  |   |  
  |   |   |  
  |  |  |
| 03/23/2022 09:50:00<br>03/23/2022 09:50:00<br>03/23/2022 10:43:00<br>03/23/2022 11:20:00<br>03/23/2022 11:45:00<br>03/23/2022 11:45:00  | 60:00<br>13:00<br>15:0  | 43:00<br>20:01<br>45:0                             | 20:00   | :45:0   |                                 | 03/23/2022 13:03:30  | 03/23/2022 13:08:00  | 03/24/2022 10:56:00   | 03/25/2022 08:07:53   | 03/25/2022 12:45:00  |  | 16:49:1   
  | 16:49:12   
   | 16:49:12<br>09:01:00<br>14:20:00   | 16:49:12<br>09:01:0(<br>14:20:0(<br>15:10:0   | 16:49:12<br>09:01:00<br>14:20:00<br>15:10:00<br>15:20:00   | 16:49:12<br>09:01:00<br>14:20:00<br>15:10:00<br>15:20:00<br>08:46:00  | 16:49:12<br>09:01:00<br>14:20:00<br>15:10:00<br>08:46:00<br>08:46:00<br>09:20:00  
   | 16:49:12<br>09:01:0(<br>14:20:0(<br>15:10:0(<br>15:20:0(<br>08:46:0(<br>09:20:0(<br>10:00:0)  | 16:49:12<br>09:01:00<br>15:10:00<br>15:20:00<br>08:46:00<br>09:20:00<br>10:00:00<br>10:00:00   | 16:49:12<br>09:01:00<br>15:10:00<br>15:20:00<br>08:46:00<br>09:20:00<br>110:00:00<br>110:20:00<br>11:00:00<br>11:00:00  | 16:49:12<br>09:01:00<br>14:20:00<br>15:10:00<br>08:46:00<br>08:46:00<br>09:20:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00   
  | 16:49:11<br>09:01:00<br>14:20:00<br>15:10:00<br>08:46:00<br>09:20:00<br>09:20:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:   | 16:49:11<br>09:01:01<br>14:20:01<br>15:10:01<br>15:10:01<br>09:20:01<br>10:00:01<br>11:00:01<br>11:00:01<br>11:00:01<br>12:45:01<br>12:45:01  |
16:49:11<br>09:01:00<br>15:10:00<br>09:20:00<br>09:26:00<br>09:26:00<br>11:00:00<br>11:00:00<br>11:00:00<br>11:20:00<br>12:45:00<br>12:245:00<br>13:20:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:00<br>12:245:000<br>12:245:000000000000000000000000000000  | 03/25/2022 16:49:12<br>03/28/2022 09:01:00<br>03/28/2022 14:20:00<br>03/28/2022 15:10:00<br>03/28/2022 15:20:00<br>03/29/2022 09:20:00<br>03/29/2022 10:00:00<br>03/29/2022 11:00:00<br>03/29/2022 11:00:00<br>03/29/2022 12:00:00<br>03/29/2022 12:00:00<br>00/2022 12:00:00<br>00/2022 12:00000000000000000000000000000000  | 03/25/2022 16:49:12<br>03/28/2022 09:01:00<br>03/28/2022 14:20:00<br>03/28/2022 14:20:00<br>03/29/2022 15:10:00<br>03/29/2022 09:20:00<br>03/29/2022 11:00:00<br>03/29/2022 11:00:00<br>03/29/2022 11:00:00<br>03/29/2022 12:00:00<br>03/29/2022 13:03:00<br>03/29/2022 13:03:00<br>03/29/2022 13:03:00<br>03/29/2022 13:03:00<br>03/29/2022 13:03:00<br>03/2022 13:03:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>02/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>03/20/2022 13:00<br>02/2022  |

Lists the Daily Log items, grouped by Personnel, corresponding to the selected Activity Code and Personnel.



HOURS	0.52	0.47	0.50	0.22	0.62	1.30	0.48	0.42	0.27	0.10	0.48	0.32	0.32	0.12	0.60	0.65	0.58	0.75	0.50	0.37	0.58	0.42	0.48	0.52	0.88	0.08	0.35	0.32	0.37	0.50	0.23	0.23	0.20	0.95	0.60	0.15	0.55	0.35	0.58	0.83	0.83
NOIES	An inspection was completed for Little Caesars Pizza by LOFTON, SHAWN	An inspection was completed for OM Greek by LOFTON, SHAWN	An inspection was completed for Mont Thai by LOFTON, SHAWN	An inspection was completed for Papa Murphy's Pizza by LOFTON, SHAWN	An inspection was completed for Rapp's Barren Brewing by LOFTON, SHAWN	An inspection was completed for Rio Burrrito by LOFTON, SHAWN	An inspection was completed for Crush Studio by LOFTON, SHAWN	An inspection was completed for Mollie Maries by LOFTON, SHAWN	I responded to 201 West 3rd St for a burn complaint. Amanda Nothwerhr was burning leaves limbs, a plastic jug and cardboard in the front yard. The wind was 8 mph so I helped her and a male companion extinguish the fire.	Incident 2022-637 - Outside rubbish, trash or waste fire: Apparatus 231 responded to 201 W 3rd ST	An inspection was completed for Hilltop Motors by LOFTON, SHAWN	Incident 2022-643 - Sprinkler activation, no fire - unintentional: Apparatus 202 responded to 65 Walmart DR	Incident 2022-645 - Unintentional transmission of alarm, other: Apparatus 202 responded to 105 S Cardinal DR 29	Incident 2022-672 - Unintentional transmission of alarm, other: Apparatus 202 responded to 117 Riverlodge DR	An inspection was completed for Crazy Dave's by LOFTON, SHAWN	An inspection was completed for Youth Advocate Programs, Inc by LOFTON, SHAWN	An inspection was completed for EI Charro's Restaurant by LOFTON, SHAWN	An inspection was completed for Cousins Manufacturing by LOFTON, SHAWN	An inspection was completed for Ultimate Auto Group Chrysler by LOFTON, SHAWN	Incident 2022-695 - Citizen complaint: Apparatus 202 responded to 1509 Johns DR	An inspection was completed for Ultimate Auto Group Ford by LOFTON, SHAWN	An inspection was completed for On The Way by LOFTON, SHAWN	An inspection was completed for Clay Maxey Chevrolet by LOFTON, SHAWN	An inspection was completed for Clay Maxey Collision Center by LOFTON, SHAWN	An inspection was completed for The Fork by LOFTON, SHAWN Met with manager about occupant load upstairs for assembly use. Coordinated with Greg Ifland and approved	Incident 2022-707 - Grass fire: Apparatus 206 responded to 220 Kingsberry DR	An inspection was completed for Ultimate Ford Detail Shop by LOFTON, SHAWN	Incident 2022-739 - No incident found on arrival at dispatch address: Apparatus 202 responded to 200 cr 611	An inspection was completed for Fit.1 by LOFTON, SHAWN	I met with Ronald Shirley at 255 Fawn Rd. about a tree that had caught fire when a neighbor was burning leaves. He was concerned the fire would continue to burn while he was away from home. He had sufficiently extinguished the fire and I saw no danger.	Incident 2022-744 - Smoke detector activation, no fire - unintentional: Apparatus 202 responded to 105 S Cardinal DR	Incident 2022-745 - Smoke detector activation, no fire - unintentional: Apparatus 202 responded to 105 S Cardinal DR 29	Incident 2022-746 - No incident found on arrival at dispatch address: Apparatus 202 responded to 60 Wildwood WAY	I replaced 4 smoke detectors for Caroline M Hewett at 1717 Greg Road. 870-424-3033	Incident 2022-750 - Building fire: Apparatus 202 responded to 904 Dryer ST	Incident 2022-754 - Medical assist, assist EMS crew: Apparatus 210 responded to 1510 Stonebrook CT	Updated Knox box contacts for 4 businesses at Hwy 5 N-230. Still waiting on keys.	An inspection was completed for Lowe's by LOFTON, SHAWN	An inspection was completed for Centurylink/ Lumen (Brightspeed on 7/1/2022) by LOFTON, SHAWN	An inspection was completed for Wapsi Fly by LOFTON, SHAWN	An inspection was completed for Mountain Home Water/Sewer Warehouse by LOFTON, SHAWN
AFFARAIUS	202	202	202	202	202	202	202	202	202	231	202	202	202	202	202	202	202	202	202	202	202	202	202	202	202	206	202	202	202	202	202	202	202	202	202	210	202	202	202	202	202
LUGITE	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	DAYBOOK	INCIDENT	INSPECTION	INCIDENT	INCIDENT	INCIDENT	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INCIDENT	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INSPECTION	INCIDENT	INSPECTION	INCIDENT	INSPECTION	DAYBOOK	INCIDENT	INCIDENT	INCIDENT	DAYBOOK	INCIDENT	INCIDENT	DAYBOOK	INSPECTION	INSPECTION	INSPECTION	INSPECTION
ENU	03/09/2022 09:35:00	03/09/2022 10:08:00	03/09/2022 10:40:00	03/09/2022 10:58:00	03/09/2022 13:37:00	03/09/2022 14:58:00	03/09/2022 15:29:00	03/09/2022 16:15:00	03/10/2022 11:48:00	03/10/2022 13:21:00	03/10/2022 14:45:00	03/11/2022 07:56:17	03/11/2022 08:38:51	03/14/2022 08:45:33	03/15/2022 09:59:00	03/15/2022 10:50:00	03/16/2022 10:20:00	03/16/2022 11:15:00	03/16/2022 11:50:00	03/16/2022 13:52:00	03/16/2022 14:20:00	03/16/2022 14:50:00	03/17/2022 11:29:00	03/17/2022 12:01:00	03/17/2022 13:55:00	03/17/2022 13:32:54	03/17/2022 14:42:00	03/20/2022 21:20:00	03/21/2022 07:27:00	03/21/2022 11:50:00	03/21/2022 12:14:01	03/21/2022 12:49:04	03/21/2022 13:50:18	03/21/2022 14:58:00	03/22/2022 00:49:23	03/22/2022 12:25:06	03/22/2022 13:35:00	03/22/2022 15:21:00	03/23/2022 08:35:00	03/23/2022 09:45:00	03/23/2022 10:40:00
SIAKI	03/09/2022 09:04:00	03/09/2022 09:40:00	03/09/2022 10:10:00	03/09/2022 10:45:00	03/09/2022 13:00:00	03/09/2022 13:40:00	03/09/2022 15:00:00	03/09/2022 15:50:00	03/10/2022 11:32:00	03/10/2022 13:15:00	03/10/2022 14:16:00	03/11/2022 07:37:41	03/11/2022 08:19:25	03/14/2022 08:38:20	03/15/2022 09:23:00	03/15/2022 10:11:00	03/16/2022 09:45:00	03/16/2022 10:30:00	03/16/2022 11:20:00	03/16/2022 13:30:33	03/16/2022 13:45:00	03/16/2022 14:25:00	03/17/2022 11:00:00	03/17/2022 11:30:00	03/17/2022 13:02:00	03/17/2022 13:27:44	03/17/2022 14:21:00	03/20/2022 21:01:00	03/21/2022 07:05:00	03/21/2022 11:20:00	03/21/2022 12:00:51	03/21/2022 12:35:57	03/21/2022 13:38:52	03/21/2022 14:01:00	03/22/2022 00:13:37	03/22/2022 12:16:07	03/22/2022 13:02:00	03/22/2022 15:00:00	03/23/2022 08:00:00	03/23/2022 08:55:00	03/23/2022 09:50:00

Lists the Daily Log items, grouped by Personnel, corresponding to the selected Activity Code and Personnel.

EMERGENCY REPORTING: emergensyreporting.com Doc Id: 1514 Page # 2 of 3

# **Mountain Home Fire Department**

Mountain Home, AR

This report was generated on 4/1/2022 10:23:22 AM

# Daily Log Items per Personnel for Activity Code for Personnel

Activity Codes: Alarm - Alarm Response, BSR - Create Building Survey, Burn - Burning permit, Class - Classroom, Code - Code Research and 24 more | Personnel: LOFTON, SHAWN | Start Time: 00:00 | End Time: 23:00 | Start Date: 03/01/2022 | End Date: 03/31/2022

Strat.         DOI TYPE         Anton         OTES           GFOLD: SLIVIA         Internet (1)         Internet (1)         Internet (1)         Internet (1)           GFOLD: SLIVIA         Internet (1)         Internet (1)         Internet (1)         Internet (1)           GFOLD: SLIVIA         Internet (1)         Internet (1)         Internet (1)         Internet (1)         Internet (1)           GFOLD: SLIVIA         Internet (1)         Internet (1)	LOFTON, SHAWN	LOFTON, SHAWN   Start Time: 00:00   End Time: 23:00	End lime: 23:00	Start Date: 1	Start Date: U3/U1/2022   End Date: U3/31/2022	
0         03/01/2022 09:40:00         DAYBOOK         202           0         03/01/2022 10:58:00         DAYBOOK         202           0         03/01/2022 10:58:00         DAYBOOK         202           0         03/01/2022 10:58:00         INSPECTION         202           0         03/01/2022 10:40:00         INSPECTION         202           0         03/01/2022 10:40:00         INSPECTION         202           0         03/02/2022 10:20:00         INSPECTION         202           0         03/02/2022 12:00:00         INSPECTION         202           0         03/02/2022 14:18:00         INSPECTION         202           0         03/02/2022 14:18:00         DAYBOOK         202           0         03/02/2022 14:18:00         INSPECTION         202           1         03/03/2022 14:18:00         DAYBOOK         202           0         03/03/2022 14:18:00         INSPECTION         202           1         03/03/2022 14:18:00         INSPECTION         202           0         03/03/2022 14:18:00         INSPECTION         202           0         03/03/2022 14:18:00         INSPECTION         202           0         03/03/2022 14:18:00 <t< th=""><th>START</th><th>END</th><th>LOG TYPE</th><th>APPARATUS</th><th>NOTES</th><th>HOURS</th></t<>	START	END	LOG TYPE	APPARATUS	NOTES	HOURS
03/01/2022 09:40:00         DAYBOOK         202           03/01/2022 10:58:00         DAYBOOK         202           03/01/2022 16:00:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/01/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 14:18:00         DAYBOCK         202           03/02/2022 14:18:00         INSPECTION         202           03/02/2022 14:18:00         INSPECTION         202           03/02/2022 14:18:00         INSPECTION         202           03/03/2022 14:18:00	LOFTON, SHAWN					
03/01/2022 10:58:00         DAYBOCK         202           03/01/2022 16:00:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/03/2022 14:18:00         INSPECTION         202           03/03/2022 14:13:00	03/01/2022 08:33:00	-	DAYBOOK	202	Met with demo crew and witnessed removal of kitchen hood for big remodel Big Creek Golf and Country Club	1.12
03/01/2022 16:00:00         INSPECTION         202           03/01/2022 16:10:00         INSPECTION         202           03/02/2022 10:40:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/03/2022 11:35:40         INSPECTION         202           03/03/2022 11:35:40         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 16:5:00         INSPECTION         202           03/04/2022 16:5:00         INSPECTION         202           03/04/2022 16:5:00         INSPECTION         202           03/04/2022 16:5:00	03/01/2022 09:50:00	03/01/2022 10:58:00	DAYBOOK	202	Met with officials at the Hilltop Church on CR 458 about maximum occupancy and fire safety features	1.13
03/01/2022 16:10:00         INSPECTION         202           03/02/2022 10:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/03/2022 14:18:00         DAYBOCK         202           03/03/2022 14:13:00         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 16:25:00         INSPECTION         202           03/07/2022 09:10:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00	03/01/2022 15:50:00	03/01/2022 16:00:00	INSPECTION	202	An inspection was completed for Holy Smokes Rib House & Catering by LOFTON, SHAWN	0.17
03/02/2022 10:40:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 14:18:00         DAYBOCK         202           03/03/2022 14:13:00         INSPECTION         202           03/03/2022 14:10:00         INSPECTION         202           03/03/72022 14:10:00	03/01/2022 16:00:00	03/01/2022 16:10:00	INSPECTION	202	An inspection was completed for Buncle's Restaurant by LOFTON, SHAWN	0.17
03/02/2022 12:00:00         INSPECTION         202           03/02/2022 12:00:00         INSPECTION         202           03/02/2022 14:18:00         DAYBOCK         202           03/02/2022 14:18:00         DAYBOCK         202           03/02/2022 14:18:00         INSPECTION         202           03/03/2022 14:18:00         INSPECTION         202           03/03/2022 11:35:40         INCIDENT         202           03/03/2022 11:35:40         INCIDENT         202           03/03/2022 11:35:40         INCIDENT         202           03/03/2022 12:35:40         INSPECTION         202           03/03/2022 12:35:40         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 16:25:09         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 16:25:09         INSPECTION         202           03/07/2022 09:10:00         INSPECTION         202           03/07/2022 16:25:09         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INS	03/02/2022 09:45:00	03/02/2022 10:40:00	INSPECTION	202	An inspection was completed for Grandma's House by LOFTON, SHAWN	0.92
03/02/2022 12:00:00         INSPECTION         202           03/02/2022 14:18:00         DAYBOCK         202           03/02/2022 14:18:00         DAYBOCK         202           03/03/2022 14:18:00         INSPECTION         202           03/03/2022 14:18:00         INSPECTION         202           03/03/2022 14:13:54:00         INSPECTION         202           03/03/2022 14:13:54:00         INSPECTION         202           03/03/2022 14:13:54:00         INSPECTION         202           03/03/2022 14:13:54:00         INSPECTION         202           03/03/2022 14:13:00         INSPECTION         202           03/04/2022 08:54:00         INSPECTION         202           03/04/2022 16:25:00         INSPECTION         202           03/04/2022 08:54:00         INSPECTION         202           03/04/2022 16:25:00         INSPECTION         202           03/07/2022 09:10:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00 <td>03/02/2022 11:00:00</td> <td>03/02/2022 12:00:00</td> <td>INSPECTION</td> <td>202</td> <td>An inspection was completed for 870 Bistro/ VACANT by LOFTON, SHAWN</td> <td>1.00</td>	03/02/2022 11:00:00	03/02/2022 12:00:00	INSPECTION	202	An inspection was completed for 870 Bistro/ VACANT by LOFTON, SHAWN	1.00
03/02/2022 12:00:00         INSPECTION         202           03/02/2022 14:18:00         DAYBOCK         202           03/03/2022 14:18:00         INSPECTION         202           03/03/2022 14:13:54:90         INSPECTION         202           03/03/2022 11:35:49         INCIDENT         202           03/03/2022 11:35:40         INSPECTION         202           03/03/2022 11:35:40         INSPECTION         202           03/03/2022 11:35:40         INSPECTION         202           03/03/2022 15:10:0         INSPECTION         202           03/04/2022 16:500         INSPECTION         202           03/04/2022 16:5400         INSPECTION         202           03/07/2022 11:29:00         INSPE	03/02/2022 11:00:00	03/02/2022 12:00:00		202	An inspection was completed for Twin Lakes Plaza Office by LOFTON, SHAWN	1.00
03/02/2022 14:18:00         DAYBOOK         202           03/03/2022 08:54:00         INSPECTION         202           03/03/2022 11:35:49         INCIDENT         202           03/03/2022 11:35:49         INCIDENT         202           03/03/2022 11:35:49         INCIDENT         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/04/2022 06:15:00         INSPECTION         202           03/04/2022 06:10:00         INSPECTION         202           03/04/2022 06:10:00         INSPECTION         202           03/04/2022 06:10:00         INSPECTION         202           03/04/2022 06:10:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/07/2022 10:34:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00         INSPECTION         202           03/07/2022 11:29:00	03/02/2022 11:00:00	03/02/2022 12:00:00		202	An inspection was completed for Christ Community Church/ VACANT by LOFTON, SHAWN	1.00
03/03/2022 08:54:00         INSPECTION         202           03/03/2022 11:35:49         INCIDENT         202           03/03/2022 12:23:36         INCIDENT         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/04/2022 09:45:00         INSPECTION         202           03/07/2022 10:25:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00	03/02/2022 14:00:00	03/02/2022 14:18:00	DAYBOOK	202	I replaced 4 smoke detector batteries for Mr. Bundy at 755 Embassy Pkwy 870-424-0664	0.30
03/03/2022 11:35:49         INCIDENT         202           03/03/2022 12:23:36         INCIDENT         202           03/03/2022 16:10:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/03/2022 16:16:00         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 16:25:09         INSPECTION         202           03/07/2022 16:25:09         INSPECTION         202           03/07/2022 16:25:09         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/08/2022 11:20:00	03/03/2022 08:30:00	03/03/2022 08:54:00		202	An inspection was completed for BRMC Med-Peds Clinic by LOFTON, SHAWN	0.40
03/03/2022         12:3:3:6         INCIDENT         202           03/03/2022         16:10:00         INSPECTION         202           03/03/2022         16:16:00         INSPECTION         202           03/03/2022         16:16:00         INSPECTION         202           03/04/2022         08:15:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         10:34:00         INSPECTION         202           03/07/2022         16:55:09         INCIDENT         202           03/07/2022         16:55:00         INSPECTION         202           03/07/2022         16:55:00         INSPECTION         202           03/07/2022         10:50:00         INSPECTION         202           03/07/2022         11:49:00         INSPECTION         202           03/07/2022         13:59:00         INSPECTION         202           03/07/2022         13:59:00         INSPECTION         202           03/07/2022         13:30:00         INSPECTION	03/03/2022 11:19:51	03/03/2022 11:35:49		202	Incident 2022-585 - Smoke detector activation, no fire - unintentional: Apparatus 202 responded to 105 S Cardinal DR 24	0.27
03/03/2022         16:10:00         INSPECTION         202           03/03/2022         16:16:00         INSPECTION         202           03/04/2022         08:15:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         08:59:00         INSPECTION         202           03/04/2022         10:34:00         INSPECTION         202           03/04/2022         16:25:09         INCIDENT         202           03/07/2022         16:55:00         INSPECTION         202           03/07/2022         16:45:00         INSPECTION         202           03/07/2022         10:45:00         INSPECTION         202           03/07/2022         11:49:00         INSPECTION         202           03/07/2022         11:49:00         INSPECTION         202           03/07/2022         11:49:00         INSPECTION         202           03/07/2022         13:59:00         INSPECTION         202           03/07/2022         13:59:00         INSPECTION         202           03/08/2022         11:45:00         INSPECTION	03/03/2022 11:54:37	03/03/2022 12:23:36	INCIDENT	202	Incident 2022-588 - Passenger vehicle fire: Apparatus 202 responded to 948 Tanglewood DR	0.48
03/03/2022 16:16:00         INSPECTION         202           03/04/2022 08:15:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/07/2022 16:25:09         INCIDENT         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/08/2022 11:49:00         INSPECTION         202           03/08/2022 11:49:00         INSPECTION         202           03/08/2022 11:49:00	03/03/2022 15:40:00	03/03/2022 16:10:00	INSPECTION	202	An inspection was completed for Bobs BBQ by LOFTON, SHAWN	0.50
03/04/2022 08:15:00         INSPECTION         202           03/04/2022 08:59:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/04/2022 16:25:09         INSPECTION         202           03/07/2022 16:25:09         INCIDENT         202           03/07/2022 16:25:09         INSPECTION         202           03/07/2022 16:25:09         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00	03/03/2022 15:45:00	03/03/2022 16:16:00	INSPECTION	202	An inspection was completed for Family Billiards by LOFTON, SHAWN	0.52
03/04/2022 08:59:00         INSPECTION         202           03/04/2022 10:34:00         INSPECTION         202           03/04/2022 16:25:09         INCIDENT         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00	03/04/2022 08:07:00	03/04/2022 08:15:00	INSPECTION	202	An inspection was completed for Roadmaps Counseling and Mediation by LOFTON, SHAWN	0.13
03/04/2022 10:34:00         INSPECTION         202           03/04/2022 16:25:09         INCIDENT         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00	03/04/2022 08:59:00	03/04/2022 08:59:00	INSPECTION	202	An inspection was completed for Acumen Audio by LOFTON, SHAWN	0.00
03/04/2022 16:25:09         INCIDENT         202           03/07/2022 09:10:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:20:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:59:00         INSPECTION         202           03/08/2022 11:59:00         INSPECTION         202           03/08/2022 11:59:00         INSPECTION         202           03/08/2022 11:45:00	03/04/2022 10:00:00	03/04/2022 10:34:00	INSPECTION	202	An inspection was completed for Care Center Ministries Housing by LOFTON, SHAWN	0.57
03/07/2022 09:10:00         INSPECTION         202           03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:59:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00	03/04/2022 16:07:43	03/04/2022 16:25:09	INCIDENT	202	Incident 2022-602 - Alarm system activation, no fire - unintentional: Apparatus 202 responded to 105 S Cardinal DR 26831	0.30
03/07/2022 09:45:00         INSPECTION         202           03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:20:00         INSPECTION         202           03/07/2022 11:20:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 11:30:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/08/2022 11:59:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 12:50:00         INSPECTION         202           03/08/2022 13:50:00         INSPECTION         202           03/08/2022 14:45:00	03/07/2022 08:50:00	03/07/2022 09:10:00	INSPECTION	202	An inspection was completed for West Road Church of Christ by LOFTON, SHAWN	0.33
03/07/2022 10:45:00         INSPECTION         202           03/07/2022 11:20:00         INSPECTION         202           03/07/2022 11:30:00         INSPECTION         202           03/07/2022 11:30:00         INSPECTION         202           03/07/2022 11:30:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:39:00         INSPECTION         202           03/08/2022 11:39:00         INSPECTION         202           03/08/2022 12:30:00         INSPECTION         202           03/08/2022 13:30:00	03/07/2022 09:20:00	03/07/2022 09:45:00	INSPECTION	202	An inspection was completed for Quality Ridge Church of Christ by LOFTON, SHAWN	0.42
03/07/2022 11:20:00         INSPECTION         202           03/07/2022 11:49:00         INSPECTION         202           03/07/2022 13:30:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/07/2022 13:59:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 12:20:00         INSPECTION         202           03/08/2022 13:30:00         INSPECTION         202           03/08/2022 14:35:00         INSPECTION         202           03/08/2022 15:30:00         INSPECTION         202           03/08/2022 15:30:00         INSPECTION         202           03/08/2022 15:30:00         INSPECTION         202           03/08/2022 15:30:00	03/07/2022 09:59:00	03/07/2022 10:45:00	INSPECTION	202	An inspection was completed for Resurrection Church by LOFTON, SHAWN	0.77
03/07/2022 11:49:00         INSPECTION         202           03/07/2022 13:30:00         INSPECTION         202           03/07/2022 13:59:00         DAYBOOK         202           03/07/2022 13:59:00         DAYBOOK         202           03/08/2022 10:25:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:59:00         INSPECTION         202           03/08/2022 12:00:00         INSPECTION         202           03/08/2022 15:39:00         INSPECTION         202	03/07/2022 10:50:00	03/07/2022 11:20:00		202	An inspection was completed for Baxter County Juvenile Services by LOFTON, SHAWN	0.50
03/07/2022 13:30:00         INSPECTION         202           03/07/2022 13:59:00         DAYBOCK         202           03/08/2022 10:25:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 12:00:00         INSPECTION         202           03/08/2022 15:39:00         INSPECTION         202	03/07/2022 11:30:00			202	An inspection was completed for Vacco Insurance by LOFTON, SHAWN	0.32
03/07/2022         13:59:00         DAYBOOK         202           03/08/2022         10:25:00         INSPECTION         202           03/08/2022         11:20:00         INSPECTION         202           03/08/2022         11:29:00         INSPECTION         202           03/08/2022         11:45:00         INSPECTION         202           03/08/2022         11:45:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202	03/07/2022 13:02:00	03/07/2022 13:30:00	INSPECTION	202	An inspection was completed for Sun Valley Cinema by LOFTON, SHAWN	0.47
03/08/2022 10:25:00         INSPECTION         202           03/08/2022 11:00:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 12:00:00         INSPECTION         202           03/08/2022 15:39:00         INSPECTION         202           03/08/2022 09:02:00         INSPECTION         202	03/07/2022 13:40:00	03/07/2022 13:59:00	DAYBOOK	202	Opened Knox box for Big Creek Golf and Country Club for relocation	0.32
03/08/2022 11:00:00         INSPECTION         202           03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 11:50:00:00         INSPECTION         202           03/08/2022 12:00:00         INSPECTION         202           03/08/2022 15:39:00         INSPECTION         202           03/08/2022 09:02:00         INSPECTION         202	03/08/2022 10:01:00	03/08/2022 10:25:00	INSPECTION	202	An inspection was completed for On The Way by LOFTON, SHAWN	0.40
03/08/2022 11:29:00         INSPECTION         202           03/08/2022 11:45:00         INSPECTION         202           03/08/2022 12:00:00         INSPECTION         202           03/08/2022 15:39:00         INSPECTION         202           03/08/2022 09:02:00         INSPECTION         202	03/08/2022 10:30:00	03/08/2022 11:00:00	INSPECTION	202	An inspection was completed for College Station & Deli by LOFTON, SHAWN	0.50
03/08/2022         11:45:00         INSPECTION         202           03/08/2022         12:00:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202           03/08/2022         03:09/2022         03:09/202         10:30/202	03/08/2022 11:05:00	03/08/2022 11:29:00	INSPECTION	202	An inspection was completed for Amerigas Propane Storage by LOFTON, SHAWN	0.40
03/08/2022         12:00:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202           03/08/2022         15:39:00         INSPECTION         202           03/09/2022         09:02:00         INSPECTION         202	03/08/2022 11:30:00	03/08/2022 11:45:00	INSPECTION	202	An inspection was completed for Dairy Queen by LOFTON, SHAWN	0.25
03/08/2022         15:39:00         INSPECTION         202           03/08/2022         09:02:00         INSPECTION         202	03/08/2022 11:47:00	03/08/2022 12:00:00	INSPECTION	202	An inspection was completed for Senor Frog Restaurant by LOFTON, SHAWN	0.22
03/09/2022 09:02:00 INSPECTION 202	03/08/2022 15:20:00	03/08/2022 15:39:00	_	202	An inspection was completed for Driftwood Bowling Alley by LOFTON, SHAWN	0.32
	03/09/2022 08:34:00	03/09/2022 09:02:00	INSPECTION	202	An inspection was completed for Big Vista by LOFTON, SHAWN	0.47

Lists the Daily Log items, grouped by Personnel, corresponding to the selected Activity Code and Personnel.

EMERGENCY REPORTING emergencyreporting.com Doc Id: 1514 Page # 1 of 3



#### MOUNTAINHOME

#### Monthly Incident Counts By Station

#### Alarm Date Between {03/01/2021} And {03/31/2021}

Station #	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Percent
1-1	0	0	157	0	0	0	0	0	0	0	0	0	157	65.698
2-1	0	0	46	0	0	0	0	0	0	0	0	0	46	19.24 %
4-1	0	0	36	0	0	0	0	0	0	0	0	0	36	15.06%

				Tota	l Run	s by	Mont	h			
Jan	0	Feb	0	Mar	239	Apr	0	May	0	Jun	0
Jul	0	Aug	0	Sep	0	Oct	0	Nov	0	Dec	0

Grand Total Runs: 239

04/18/2022 09:15

Page 1

# **Mountain Home Fire Department**

Mountain Home, AR

This report was generated on 4/18/2022 9:09:45 AM

#### **Incident Statistics**

Zone(s): All Zones | Start Date: 03/01/2022 | End Date: 03/31/2022

	INCIDE	NT COUNT	
INCIDE	NT TYPE	# INC	IDENTS
E	MS		159
F	IRE		129
т	DTAL		288
		PORTS (N2 and N3)	
APPARATUS	# of APPARATUS TRANSPORTS	# of PATIENT TRANSPORTS	S TOTAL # of PATIENT CONTACTS
TOTAL			
PRE-INCI	DENT VALUE		SSES
\$33	750.00		,700.00
	the second s	HECKS	
T	DTAL		
	MUTUAL AI	dispersion of the second s	
and the second	Гуре	-	Total
Aid	Given		5
	OVERLAP	PING CALLS	
# OVER	RLAPPING		RLAPPING
	94		32.64
	HTS AND SIREN - AVERAGE F		A REAL PROPERTY AND A REAL
Station	I	EMS	FIRE
ST-1/ST-2		05:51	0:07:00
Station 1	0:	05:26	0:07:39
Station 2	0:	05:26	
	AVER	AGE FOR ALL CALLS	0:05:57
LIG	HTS AND SIREN - AVERAGE	FURNOUT TIME (Dispatch to E	nroute)
Station		EMS	FIRE
ST-1/ST-2	0:	02:25	0:03:01
Station 1	0:	02:02	0:02:41
Station 2	0:	01:50	
	AVER	AGE FOR ALL CALLS	0:02:18
AC	ENCY		ON SCENE (MM:SS)
	ne Fire Department		13:00

Only Reviewed Incidents included, EMS for Incident counts includes only 300 to 399 Incident Types. All other incident types are counted as FIRE. CO Checks only includes Incident Types: 424, 736 and 734. # Apparatus Transports = # of incidents where apparatus transported. # Patient Transports = All patients transported by EMS. # Patient Contacts = # of PCR contacted by apparatus. This report now returns both NEMSIS 2 & 3 data as appropriate. For overlapping calls that span over multiple days, total per month will not equal Total count for year.



INCIDENT TYPE	# INCIDENTS
143 - Grass fire	4
162 - Outside equipment fire	1
251 - Excessive heat, scorch burns with no ignition	1
322 - Motor vehicle accident with injuries	2
412 - Gas leak (natural gas or LPG)	3
500 - Service Call, other	1
531 - Smoke or odor removal	1
611 - Dispatched & cancelled en route	1
622 - No incident found on arrival at dispatch address	1
735 - Alarm system sounded due to malfunction	1
740 - Unintentional transmission of alarm, other	3
741 - Sprinkler activation, no fire - unintentional	1
743 - Smoke detector activation, no fire - unintentional	5
744 - Detector activation, no fire - unintentional	1
745 - Alarm system activation, no fire - unintentional	5
# Incidents for ST4 - ST-1/ST-2 :	42

Only REVIEWED incidents included.



emergencyreporting.com Doc Id: 857 Page # 2 of 2

# Mountain Home Fire Department

Mountain Home, AR

This report was generated on 4/18/2022 9:13:44 AM

#### Incident Type Count per Station for Date Range

Start Date: 03/01/2022 | End Date: 03/31/2022

INCIDENT TYPE	# INCIDENTS
ation: ST1 - STATION 1	
118 - Trash or rubbish fire, contained	1
140 - Natural vegetation fire, other	1
142 - Brush or brush-and-grass mixture fire	3
151 - Outside rubbish, trash or waste fire	1
160 - Special outside fire, other	1
300 - Rescue, EMS incident, other	13
311 - Medical assist, assist EMS crew	109
320 - Emergency medical service, other	5
322 - Motor vehicle accident with injuries	1
324 - Motor vehicle accident with no injuries.	3
412 - Gas leak (natural gas or LPG)	1
531 - Smoke or odor removal	1
553 - Public service	1
554 - Assist invalid	58
561 - Unauthorized burning	2
611 - Dispatched & cancelled en route	2
622 - No incident found on arrival at dispatch address	3
631 - Authorized controlled burning	1
700 - False alarm or false call, other	1
911 - Citizen complaint	3
# Incidents for ST1 - Station 1:	211

311 - Medical assist, assist EMS crew	25
323 - Motor vehicle/pedestrian accident (MV Ped)	1
531 - Smoke or odor removal	1
551 - Assist police or other governmental agency	1
554 - Assist invalid	7
# Incidents for ST2 - Station 2:	35

Station: ST4 - ST-1/ST-2	
111 - Building fire	3
118 - Trash or rubbish fire, contained	1
131 - Passenger vehicle fire	3
141 - Forest, woods or wildland fire	2
142 - Brush or brush-and-grass mixture fire	2

Only REVIEWED incidents included.





# Incidents for ST1 - Station 1:

211

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	3	1.04%
118 - Trash or rubbish fire, contained	2	0.69%
131 - Passenger vehicle fire	3	1.04%
140 - Natural vegetation fire, other	1	0.35%
141 - Forest, woods or wildland fire	2	0.69%
142 - Brush or brush-and-grass mixture fire	5	1.74%
143 - Grass fire	4	1.39%
151 - Outside rubbish, trash or waste fire	1	0.35%
160 - Special outside fire, other	1	0.35%
162 - Outside equipment fire	1	0.35%
251 - Excessive heat, scorch burns with no ignition	1	0.35%
300 - Rescue, EMS incident, other	13	4.51%
311 - Medical assist, assist EMS crew	134	46.53%
320 - Emergency medical service, other	5	1.74%
322 - Motor vehicle accident with injuries	3	1.04%
323 - Motor vehicle/pedestrian accident (MV Ped)	1	0.35%
324 - Motor vehicle accident with no injuries.	3	1.04%
412 - Gas leak (natural gas or LPG)	4	1.39%
500 - Service Call, other	1	0.35%
531 - Smoke or odor removal	3	1.04%
551 - Assist police or other governmental agency	1	0.35%
553 - Public service	1	0.35%
554 - Assist invalid	65	22.57%
561 - Unauthorized burning	2	0.69%
611 - Dispatched & cancelled en route	3	1.04%
622 - No incident found on arrival at dispatch address	4	1.39%
631 - Authorized controlled burning	1	0.35%
700 - False alarm or false call, other	1	0.35%
735 - Alarm system sounded due to malfunction	1	0.35%
740 - Unintentional transmission of alarm, other	3	1.04%
741 - Sprinkler activation, no fire - unintentional	1	0.35%
743 - Smoke detector activation, no fire - unintentional	5	1.74%
744 - Detector activation, no fire - unintentional	1	0.35%
745 - Alarm system activation, no fire - unintentional	5	1.74%
911 - Citizen complaint	3	1.04%
TOTAL INCIDENTS	288	100%

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.




# Mountain Home Fire Department

Mountain Home, AR

This report was generated on 4/18/2022 9:08:24 AM

Breakdown by Major Incident Types for Date Range Zone(s): All Zones | Start Date: 03/01/2022 | End Date: 03/31/2022



1.8

MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	23	7.99%
Overpressure rupture, explosion, overheat - no fire	1	0.35%
Rescue & Emergency Medical Service	159	55.21%
Hazardous Condition (No Fire)	4	1.39%
Service Call	73	25.35%
Good Intent Call	8	2.78%
False Alarm & False Call	17	5.9%
Special Incident Type	3	1.04%
TOTAL	288	100%

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.



#### Mountain Home Fire Department

#### **Public Safety Meeting**

#### April 20, 2022

- 1. We had the Core Rescue Class and 22 members of our department attended it.
- 2. We think that Eng. 2's anti-freeze leak is fixed.
- 3. Shift personnel has started flowing hydrants, still have a few preplans to finish.
- We will be hosting a Driver Operator class May 9<sup>th</sup> May 20<sup>th</sup> and we will have around 14 firefighters from MHFD in the class.
- 5. We have been working on our reporting system trying to get it connected to dispatch and we think we finally have it connected.
- 6. We have been training on some of the new equipment that we have received.



New Battery Operated Fan



New RollNRack to roll

5" Hose



18- New Air Cylinders

We also received 9 – New Mattresses, 2 – Hydrant Diffusers, 2 – Elevator Key Kits, Also received some of our high angle rescue equipment.

# Some Of the New Equipment We Have Received



6 New Air Packs



**New Lucas Device** 



Battery Operated Amkus Spreaders



**New Lawn Mower** 

# **REQUEST TO SCRAP WWTP ITEMS - APRIL 2022**

# **OLD ROTORS & GEARBOX**

- #1 SN# 87-67-013,
- #2 SN# 87-67-014
- #4 SN# 87-67-016,
- #5 SN# 96-67-019
- #6 SN# 96-67-020
- #7 SN# 96-67-021

## **OLD NRRS PUMPS**

- #2 SN# 9710102
- #4 SN# 9710105

## **OLD LIFT STATION PUMPS**

# DAVIS EMU PUMPS FROM PARKWOOD LS

#1 - SN# 482358

#2 - SN # 482359

# OLD R&M CRANE

SN# 152281SE1

# <u>OLD CL2 - CHLORINATORS</u> SN# VR1434C SN# VR1435C

# <u>OLD SO2 - SULFONATORS</u> SN# 168870-7 SN# 168870-8

# **REQUEST TO SCRAP WTP ITEMS - APRIL 2022**

### **OLD PRATT POSITRON ACTUATORS FROM 1991**

- WP 411 S# 11629
- WP 449 S# 11635
- WP 433 S# 11645
- WP 408 S# 11631
- WP 441 S# 11723
- WP 442 S# 11628
- WP 459 S# 11728
- WP 417 S# 11732
- WP 446 S# 11633
- WP 402 S# 11712
- WP 436 S# 11630